

April 11, 2016

RECEIVED PRO

Mr. Adam Eller Environmental Specialist II Department of Environmental Quality Piedmont Regional Office 4949-A Cox Road Glen Allen, VA 23060

Re: VPDES Permit No. VA0061646, Town of Surry Wastewater Treatment Facility, Reissuance Application

Dear Mr. Eller:

Enclosed is the completed and signed application for the VPDES permit reissuance for the Town of Surry Wastewater Treatment Facility. An electronic copy of these documents will be emailed to you at adam.eller@deq.virginia.gov. This permit package includes information for the existing facility, and incorporated approved upgrades to the plant. Per the Reissuance Reminder letter, I have enclosed the following:

- EPA Form 1
- EPA Form 2A
- DEQ Sewage Sludge Permit Application
- VPDES Permit Application Addendum
- VPDES Public Notice Billing Information Form
- Attachment A Water Quality Criteria Monitoring Form (enclosed)

for of- nutchell

Should you have any questions or require any additional information, please do not hesitate to contact Lauren Grimmer at 757-460-4245 or lgrimmer@hrsd.com.

Sincerely,

Jamie S. Heisig-Mitchell

Chief of Technical Services Division


Enclosures

5 15 16 B. COUNTY NAME E. ZIP CODE F. COUNTY CODE (if known) C. CITY OR TOWN D. STATE 23883 SURRY VΑ h9d 6

A. STREET, ROUTE NO. OR OTHER SPECIFIC IDENTIFIER

11463 ROLFE HIGHWAY

CONTINUED FROM THE FRONT		
VII. SIC CODES (4-digit, in order of priority)		
A. FIRST	B. S	SECOND
7 (Specify)	7 (<i>specify</i>)	
15 16 - 19 C. THIRD	15 16 - 19	FOURTH
C. Hard	c (specify)	OOKTH
7	[7]	
VIII. OPERATOR INFORMATION	[15 16 - 19]	
A. NAME		B. Is the name listed in Item
8 R. P. FINCH		VIII-A also the owner?
15 16		I YES Z NO
C. STATUS OF OPERATOR (Enter the appropriate let	tter into the answer box: if "Other." specify.)	D. PHONE (area code & no.)
F = FEDERAL	(specify)	
S = STATE	P	A (757) 566-4858
P = PRIVATE	56	15 6 - 18 19 - 21 22 - 26
E. STREET OR P.O. BOX		
F. CITY OR TOWN	G, STATE H, ZIP CO	ODE TIX. INDIAN LAND
C	1	
B TOANO	VA 23168	☐ YES ☑ NO
15 16	40 41 42 47 -	51 52
X. EXISTING ENVIRONMENTAL PERMITS		
A. NPDES (Discharges to Surface Water) D. P. C. T. F. F. C. T. F. C. T. F. C. T. F. F. C. T. F. F. C. T. F.	SD (Air Emissions from Proposed Sources)	
9 N VA0061646 9 P		
15 16 17 18 30 15 16 17 18	30	
B. UIC (Underground Injection of Fluids)	E. OTHER (specify)	
		ecify)
15 16 17 18 30 15 16 17 18	30	
C. RCRA (Hazardous Wastes)	E. OTHER (specify)	
	(spe	ecify)
9 R 9		
15 16 17 18 30 15 16 17 18 XI. MAP	30 \	
Attach to this application a topographic map of the area extending to at	least one mile beyond property boundaries. The m	an must show the outline of the facility the
location of each of its existing and proposed intake and discharge structure	res, each of its hazardous waste treatment, storage,	or disposal facilities, and each well where it
injects fluids underground. Include all springs, rivers, and other surface wat	ter bodies in the map area. See instructions for precis	se requirements.
XII. NATURE OF BUSINESS (provide a brief description)		
The existing wastewater treatment plant is rated		
screen, flow splitter box, clarigester, two Rotat return pump station, digested sludge pump station		
building, sludge drying beds and an UltraViolet d	isinfection system. The Town is u	nder a consent order to
upgrade the wastewater treatment plant to achieve project approved on June 1, 2015 includes upgradi	consistent compliance with all pe	ermit effluent limits. A
batch reactor (SBR) and tertiary filtration that		
microscreen/auger at the headworks, flow equaliza		ion, a sludge digester, and
tertiary filtration. The existing UV disinfectio	n system will remain.	
	•	
VIII CERTIFICATION (see instructions)		
XIII. CERTIFICATION (see instructions)		
I certify under penalty of law that I have personally examined and am fam. inquiry of those persons immediately responsible for obtaining the informa		
am aware that there are significant penalties for submitting false information		in the second se
	NATURE	C. DATE SIGNED
Will Gwaltney, Jr.,	11 11 21 . 11-5	3 1/10/11
Mayor, Town of Surry	sell M. Gerallon	41/4/16
COMMENTS FOR OFFICIAL USE ONLY		
C		



Form Approved 1/14/99 OMB Number 2040-0086

Town of Surry WWTF VA0061646

FORM 2A NPDES

NPDES FORM 2A APPLICATION OVERVIEW

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

FACILITY NAME AND PERMIT NUMBER:

Town of Surry WWTF VA0061646

Form Approved 1/14/99
OMB Number 2040-0086

ВА	SIC APPLICA	TION INFO	RMATION		
PAF	RT A. BASIC APPL	ICATION INF	ORMATION FOR ALL	APPLICANTS:	
All t	reatment works mus	t complete ques	tions A.1 through A.8 of t	this Basic Application Information page	cket.
A.1.	Facility Information	1.			
	Facility name	Town of Surr	/ Wastewater Treatment	Facility	
	Mailing Address	11463 Rolfe I Surry, VA 238	183		
	Contact person	Will Gwaltney	, Jr.		
	Title	Mayor, Town	of Surry		
	Telephone number	(757) 294-30	21		
	Facility Address (not P.O. Box)	11463 Rolfe F Surry, VA 238			
A.2.	Applicant Informati	on. If the applic	ant is different from the abo	ve, provide the following:	
	Applicant name				
	Mailing Address				
	Contact person				
	Title				
	Telephone number				
	owner		tor (or both) of the treatm operator arding this permit should be	nent works? e directed to the facility or the applicant.	
	facility		_ applicant		
A.3.	Existing Environme works (include state-		rovide the permit number o	f any existing environmental permits tha	t have been issued to the treatment
	NPDES VA00616	646		PSD	
	UIC	~~~~		Other	TANNAN NINTON SONO SONO TO STORE TO THE TOTAL SONO THE SO
	RCRA			Other	
A.4.				palities and areas served by the facility. ection system (combined vs. separate) a	
	Name		Population Served	Type of Collection System	Ownership
	Town of Surry		8,120	Separate	Municipal
			8,120		

		Y NAME AND PERMIT NUMBER:				Form Approved 1/1 OMB Number 204	
own	of	Surry WWTF VA0061646					
A.5.	Inc	dian Country.					
	a.	Is the treatment works located in Indian Co	ountry?				
		Yes					
	b.	Does the treatment works discharge to a re	eceiving water that is either in	Indian Country of	r that is upstream fi	om (and eventually f	flows
		through) Indian Country?					
		Yes No					
A.6.	ave	ow. Indicate the design flow rate of the treat erage daily flow rate and maximum daily flov riod with the 12th month of "this year" occurr	v rate for each of the last three	e years. Each ye	ar's data must be b		
	a.	Design flow rate0.060 / 0.099 mgd	Flows from March	- February, a	nnually		
			Two Years Ago	Last Year	This	Year	
	b.	Annual average daily flow rate	0.061		0.059	0.145	mgd
	c.	Maximum daily flow rate	0.205		0.128	0.197	mgd
A.7.	Co	ollection System. Indicate the type(s) of col	lection system(s) used by the	treatment nlant	Check all that anni	v Also estimate the	nercent
		ntribution (by miles) of each.	iodion cyclom(b) deca by the	a oder forte plante	onon an that app.	y. , ace commute and	p 0 / 0 0
		Separate sanitary sewer				100	%
		Combined storm and sanitary sewer				,	%
	D:-	- Lauren and Other Diament State and					
4.8.	DIS	scharges and Other Disposal Methods.					
	a.	Does the treatment works discharge efflue			YYes		No
		If yes, list how many of each of the following	g types of discharge points th	e treatment work	is uses:		
		i. Discharges of treated effluent				1	····
		ii. Discharges of untreated or partially treated	ated effluent			0	
		iii. Combined sewer overflow points	and a fit of the section of the sect			0	
		iv. Constructed emergency overflows (price	·			0	
		v. Other	h				
	b.	Does the treatment works discharge effluer impoundments that do not have outlets for			Yes	s <u>√</u> 1	No
		If yes, provide the following for each surfac	e impoundment:				
		Location:					
		Annual average daily volume discharged to		4*****************************		mgd	
		Is discharge continuous or	intermittent?				
	C.	Does the treatment works land-apply treate	ed wastewater?		Yes	<u> </u>	No
		If yes, provide the following for each land a	pplication site:				
		Location:		**************************************			
		Number of acres:		NAME OF THE OWNER OWNER OWNER.			
		Annual average daily volume applied to site	e;	Mg	gd		
		Is land application continue	ous or intermitte	ent?			
	d.	Does the treatment works discharge or trantreatment works?	nsport treated or untreated wa	stewater to anot	her Yes	s <u> </u>	No

Town of Surry WWTF VA0061646

	f yes, describe the mean(s) by which the wastewater from the treatment works is discharged or transported to the other treatme works (e.g., tank truck, pipe).	ent
	f transport is by a party other than the applicant, provide:	
	Fransporter name:	
	Mailing Address:	
	Contact person:	
	Title:	
	elephone number:	
	Vame: Mailing Address:	
	<u> </u>	
	Contact person:	
	Contact person:	
	itle: elephone number: known, provide the NPDES permit number of the treatment works that receives this discharge.	
	itle: elephone number:	mge
	itle: elephone number: known, provide the NPDES permit number of the treatment works that receives this discharge.	mgo
	Title: Telephone number: To known, provide the NPDES permit number of the treatment works that receives this discharge. Provide the average daily flow rate from the treatment works into the receiving facility. The provided the average daily flow rate from the treatment works into the receiving facility.	mga
-	Title: Telephone number: Telep	·
-	Title: Telephone number: Telep	·

Form Approved 1/14/99 OMB Number 2040-0086

FACILITY NAME AND PERMIT NUMBER:

Town of Surry WWTF VA0061646

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

1.9. D	escrip	tion of Outfall.				
a.	. Out	fall number	001	*******		
b.	. Loc	ation	Town of Surry (City or town, if applicable)		partitus and a second a second and a second a second and a second and a second and a second and a second and	23883 (Zip Code) VA
			Surry (County) 37 08' 5"		***************************************	(State) 76 50' 36"
			(Latitude)			(Longitude)
C.	Dist	ance from shore (i	if applicable)	N/A	ft.	
d.	. Dep	th below surface (if applicable)	N/A	ft.	
e.	Ave	rage daily flow rate	e	0.060 / 0.099	mgd	
f.		s this outfall have odic discharge?	either an intermittent or a	Yes	√	No (go to A.9.g.)
	If ye	es, provide the follo	owing information:			
	Nun	nber of times per y	ear discharge occurs:	***************************************		, page 11 - 12 - 12 - 12 - 12 - 12 - 12 - 12
	Ave	rage duration of ea	ach discharge:	***************************************		THE ATTENDED TO THE
	Ave	rage flow per discl	harge:			mgd
	Mor	nths in which disch	arge occurs:			The state of the s
g.	ls o	utfall equipped wit	h a diffuser?	Yes	√	No
10. D	escrip	tion of Receiving	y Waters.			
a.	Nan	ne of receiving wat	ter Dark Swamp, Unr	named Tributary		
b.	Nan	ne of watershed (if	known)			
	Unit	ed States Soil Cor	nservation Service 14-digit water	shed code (if known):		
C.	Nan	ne of State Manag	ement/River Basin (if known):			
	Unit	ed States Geologi	cal Survey 8-digit hydrologic cata	aloging unit code (if known)	:	
d.		cal low flow of rec	eiving stream (if applicable): cfs	chronic <u>NA</u>	<u> </u>	ofs

FACILITY NAME AND PERMIT IF Fown of Surry WWTF VA0061						OI	MB Number 2040-0086
A.11. Description of Treatment.	······································	······································	······				
a. What levels of treatmerPrimaryAdvanced	t are provided?	✓ Se	at apply. econdary her. Describe:	A.11 desc	ription for 0.0	099MGD facilit	y; upgrade pending
b. Indicate the following re	moval rates (as	applicable):					
Design BOD _s removal <u>c</u>	<u>r</u> Design CBOD	removal		95.8	3	%	
Design SS removal		J		95.8	3	%	
Design P removal				87.5	5	 %	
Design N removal				92.		 %	
Other				-		%	
c. What type of disinfectio	n is used for the	effluent from	n this outfall? If d	sinfection varie	s hy spason r		
Ultraviolet Disinfection		Chiachi non	n triis outlain: ii u	Simeotion varie	by scason, p	orease describe.	
If disinfection is by chlo		orination use	ad for this outfalls			es	No
·			sa for trils outrain:				✓ No
d. Does the treatment plan	t nave post aera	auone		•	Υ,	es	A MO
parameters. Provide the indischarged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent tes	dicated effluer le information of conducted us ner appropriate	nt testing re on combine ing 40 CFR QA/QC req	quired by the pe d sewer overflo Part 136 metho uirements for s	ermitting autho ws in this secti ds. In addition andard metho	rity <u>for each</u> on. All inforr , this data mi ds for analyte	outfall through mation reported ust comply with es not addresse	which effluent is I must be based on da I QA/QC requirements I was a by 40 CFR Part 136
parameters. Provide the in discharged. Do not include collected through analysis of 40 CFR Part 136 and ot	dicated effluer le information of conducted us ner appropriate ting data must	nt testing re on combine ing 40 CFR QA/QC req be based o	quired by the pe d sewer overflo Part 136 metho uirements for s	ermitting autho ws in this secti ds. In addition andard metho samples and m	rity for each on. All inforr , this data mids for analyte nust be no mo	outfall through mation reported ust comply with es not addresse ore than four ar	which effluent is must be based on danged and a QA/QC requirements be do y 40 CFR Part 136 and one-half years apart 29, 2016
parameters. Provide the indischarged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test	dicated effluer le information de conducted us ner appropriate ting data must	nt testing re on combine ing 40 CFR QA/QC req be based o	quired by the ped sewer overfloor Part 136 methoduirements for some at least three	ermitting autho ws in this secti ds. In addition andard metho samples and m	rity for each on. All inforr this data mids for analyte fust be no mo	outfall through mation reported ust comply with es not addresse ore than four an	which effluent is must be based on danged and a QA/QC requirements be do y 40 CFR Part 136 and one-half years apart 29, 2016
parameters. Provide the in discharged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test Outfall number: 001 PARAMETER	dicated effluer le information de conducted us ner appropriate ting data must	nt testing re on combine ing 40 CFR QA/QC req be based o	quired by the ped sewer overflor Part 136 methoduirements for sin at least three DAILY VALUE Units	ermitting authows in this sections. In addition transfer and are methods amples and methods amples and methods are Data fro	rity for each on. All inforr this data mids for analyte fust be no mo	outfall through mation reported ust comply with es not addresse ore than four an 015 through	which effluent is I must be based on dan QA/QC requirements be do the dot with the
parameters. Provide the in discharged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test outfall number: 001 PARAMETER Outfinimum)	dicated effluer le information de conducted us ner appropriate ting data must	nt testing re on combine ing 40 CFR QA/QC req be based o	quired by the ped sewer overflo Part 136 metho- uirements for sign at least three	ermitting authows in this sections. In addition transfer and are methods amples and methods amples and methods are Data fro	rity for each on. All inforr this data mids for analyte fust be no mo	outfall through mation reported ust comply with es not addresse ore than four an 015 through	which effluent is I must be based on dan QA/QC requirements be do the dot with the
parameters. Provide the in discharged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test. Outfall number: 001 PARAMETER OH (Minimum) OH (Maximum)	dicated effluer le information de conducted us ner appropriate ting data must	nt testing re on combine ing 40 CFR e QA/QC req be based o	quired by the ped sewer overflor Part 136 methor uirements for son at least three DAILY VALUE Units s.u.	ermitting authows in this sections. In addition transfer and are methods amples and methods amples and methods are Data fro	rity for each on. All inforr this data mids for analyte fust be no mo	outfall through mation reported ust comply with es not addresse ore than four an 015 through RAGE DAILY V Units	which effluent is I must be based on dan QA/QC requirements be do the dot with the
parameters. Provide the in discharged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test outfall number: 001 PARAMETER OH (Minimum) Hoh (Maximum)	dicated effluer le information of conducted us ner appropriate ting data must 6.6 7.8	nt testing re on combine ing 40 CFR e QA/QC req be based o	quired by the ped sewer overfloor Part 136 metho- uirements for sign at least three DAILY VALUE Units s.u. s.u.	ermitting authows in this sections. In addition transfer method samples and method samples and method value.	rity for each on. All inforr this data m ds for analyte nust be no me m Jan 1, 2 AVE	outfall through mation reported ust comply with es not addresse ore than four an 015 through RAGE DAILY V Units	which effluent is I must be based on dan QA/QC requirements ed by 40 CFR Part 136 and one-half years apa Feb 29, 2016 ALUE Number of Samples
parameters. Provide the in discharged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test Outfall number: 001 PARAMETER OH (Minimum) OH (Maximum) Flow Rate Temperature (Winter) Temperature (Summer)	dicated effluer le information de conducted us rer appropriate ting data must 6.6 7.8 0.197 20.5 23.7	nt testing re on combine ing 40 CFR e QA/QC req be based o	quired by the ped sewer overfloor Part 136 methoduirements for some at least three DAILY VALUE Units s.u. s.u. MGD Celsius Celsius	ermitting authows in this sectids. In addition andard methors amples and more samples and more value of the control of the con	rity for each on. All inforr , this data mi ds for analyte nust be no me m Jan 1, 2 AVE	outfall through mation reported ust comply with es not addresse ore than four an 015 through RAGE DAILY V. Units	which effluent is must be based on dan QA/QC requirements and by 40 CFR Part 136 and one-half years apart 150 per 150
parameters. Provide the in discharged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test Outfall number: 001 PARAMETER DH (Minimum) OH (Maximum) Flow Rate Temperature (Winter)	dicated effluer le information of s conducted us her appropriate ting data must 6.6 7.8 0.197 20.5 23.7 imum and a ma MAXIMI	nt testing re on combine ing 40 CFR e QA/QC req be based o	quired by the ped sewer overfloor Part 136 metho- uirements for sign at least three DAILY VALUE Units s.u. s.u. MGD Celsius Celsius value	ermitting authows in this sectids. In addition transcription and methods amples and methods amples and methods are considered to the construction of the construction	rity for each on. All inforr , this data mi ds for analyte nust be no me m Jan 1, 2 AVE e MG Cel	outfall through mation reported ust comply with es not addresse ore than four an 015 through RAGE DAILY V. Units	which effluent is must be based on dan QA/QC requirements and one-half years apart 136 md one-half years apart 136
parameters. Provide the in discharged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test. Outfall number: 001 PARAMETER OH (Minimum) H (Maximum) How Rate Temperature (Winter) Temperature (Summer) * For pH please report a minimum discharged in the second and second	dicated effluer le information of s conducted us her appropriate ting data must 6.6 7.8 0.197 20.5 23.7 imum and a ma MAXIMI	nt testing re on combine ing 40 CFR of QA/QC req be based of MAXIMUM Value	quired by the ped sewer overfloor Part 136 metho- uirements for sign at least three DAILY VALUE Units s.u. s.u. MGD Celsius Celsius value	ermitting authows in this sectids. In addition and methods amples and methods amples and methods are considered as a constant of the constant	rity for each on. All inforr , this data mi ds for analyte nust be no me m Jan 1, 2 AVE e MG Cel	outfall through mation reported ust comply with es not addresse ore than four an 015 through large DAILY V. Units CD CS Sius ANALYTICAL METHOD	which effluent is must be based on dan QA/QC requirements and one-half years apart 136 md one-half years apart 136
parameters. Provide the in discharged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test. Outfall number: 001 PARAMETER OH (Minimum) OH (Maximum) Flow Rate Femperature (Winter) Temperature (Summer) * For pH please report a minimum POLLUTANT	dicated effluer le information de conducted us rer appropriate ting data must 6.6 7.8 0.197 20.5 23.7 imum and a ma MAXIMI DISC Conc.	nt testing re on combine ing 40 CFR QA/QC req be based o MAXIMUM Value 7 ximum daily UM DAILY HARGE Units	quired by the ped sewer overfloor Part 136 methodulrements for sign at least three DAILY VALUE Units s.u. s.u. MGD Celsius Celsius value AVERA Conc.	ermitting authows in this sectids. In addition tandard method samples and method samples and method value 0.135 14.1 21.9 GE DAILY DISC	rity for each on. All inform, this data mids for analyte further than the first of	outfall through mation reported ust comply with es not addresse ore than four an 015 through large DAILY V. Units CD CS Sius ANALYTICAL METHOD	which effluent is must be based on dan QA/QC requirements and one-half years apart 136 md one-half years apart 136
parameters. Provide the in discharged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test Outfall number: 001 PARAMETER PH (Minimum) PH (Maximum) Power (Summer) * For pH please report a minimum POLLUTANT ONVENTIONAL AND NONCON	dicated effluer le information de conducted us rer appropriate ting data must 6.6 7.8 0.197 20.5 23.7 imum and a ma MAXIMI DISC Conc.	nt testing re on combine ing 40 CFR QA/QC req be based o MAXIMUM Value 7 ximum daily UM DAILY HARGE Units	quired by the ped sewer overfloor Part 136 methodulrements for sign at least three DAILY VALUE Units s.u. s.u. MGD Celsius Celsius value AVERA Conc.	ermitting authows in this sectids. In addition tandard method samples and method samples and method value 0.135 14.1 21.9 GE DAILY DISC	rity for each on. All inform, this data mids for analyte further than the first of	outfall through mation reported ust comply with es not addresse ore than four an 015 through large DAILY V. Units CD CS Sius ANALYTICAL METHOD	which effluent is must be based on dan QA/QC requirements and one-half years apart 136 md one-half years apart 136
parameters. Provide the in discharged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test. Outfall number: 001 PARAMETER OH (Minimum) OH (Maximum) Flow Rate Femperature (Summer) * For pH please report a minimum POLLUTANT ONVENTIONAL AND NONCONT IOCHEMICAL OXYGEN BOD-5 EMAND (Report one) CBOD-5	dicated effluer le information de conducted us rer appropriate ting data must 6.6 7.8 0.197 20.5 23.7 imum and a ma MAXIMI DISC Conc.	nt testing re on combine ing 40 CFR of QA/QC req be based of MAXIMUM Value 7 ximum daily UM DAILY HARGE Units DMPOUNDS mg/L	quired by the ped sewer overfloor Part 136 methoduirements for some at least three series at least three serie	ermitting authows in this sectids. In addition and ard method samples and method samples and method value 0.135 14.1 21.9 GE DAILY DISC	rity for each on. All inform, this data mids for analyte flust be no more managed and the flust be not managed and the flust be no more managed and the flust be not managed and the flust be no more	outfall through mation reported ust comply with es not addresse ore than four an 015 through RAGE DAILY V. Units On the state of the s	which effluent is must be based on dan QA/QC requirements and one-half years apart 136 md one-half years apart 136
discharged. Do not include collected through analysis of 40 CFR Part 136 and ot At a minimum, effluent test of 40 CFR Part 136 and ot At a minimum, effluent test of 40 CFR Part 136 and ot At a minimum, effluent test of 40 CFR Part 136 and ot At a minimum, effluent test of 40 CFR Part 136 and ot At a minimum, effluent test of 40 CFR Part 136 and ot At a minimum poh (Minimum) Poh	dicated effluer le information de conducted us rer appropriate ting data must 6.6 6.6 7.8 0.197 20.5 23.7 imum and a ma MAXIMU DISC: Conc.	nt testing re on combine ing 40 CFR QA/QC req be based o MAXIMUM I Value 7 ximum daily UM DAILY HARGE Units	quired by the ped sewer overfloor Part 136 methoduirements for some at least three series at least three serie	ermitting authows in this sectids. In addition and ard method samples and method by the section of the section	rity for each on. All inform, this data mids for analyte further than the first of	outfall through mation reported ust comply with es not addresse ore than four an 015 through RAGE DAILY V. Units CD (Sius ANALYTICAL METHOD)	which effluent is I must be based on dan QA/QC requirements and by 40 CFR Part 136 and one-half years apart Feb 29, 2016 ALUE Number of Samples CONTINUOUS 180 122 ML / MDL

Town of Surry WWTF VA0061646

Not Applicable

BΑ	SIC APPLICATION INFORMATION
PAF	RT B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).
All a	pplicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).
B.1.	Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.
	Briefly explain any steps underway or planned to minimize inflow and infiltration.
B.2.	Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)
	a. The area surrounding the treatment plant, including all unit processes.
	b. The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
	c. Each well where wastewater from the treatment plant is injected underground.
	d. Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
	e. Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
	f. If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.
B.3.	Process Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g, chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.
B.4.	Operation/Maintenance Performed by Contractor(s).
	Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor?YesNo
	If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).
	Name:
	Mailing Address:
	Telephone Number:
	Responsibilities of Contractor:
	Scheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.)
	a. List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.
	b. Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies. YesNo

С	Surry WWTF VAC	0061646			1100.7	pplicable	OMB Nur	mber 2040-0086
	If the answer to B.5	5.b is "Yes," brief	ly describe, inclu	uding new maximu	um daily inflow	rate (if applicab	le).	
d.		provements plan	ned independen	itly of local, State,			nentation steps listed planned or actual con	
			Schedule	Ac	tual Completior	1		
	Implementation Sta	ige	MM / DD /	YYYY MN	1 / DD / YYYY			
	- Begin constructio	n			//			
	- End construction		//		_//			
	– Begin discharge				_//			
	 Attain operationa 	l level						
e.	Have appropriate p Describe briefly:		•		•		Yes	_No
ove me sta	thods. In addition, the thick the th	n. All information nis data must co nalytes not addr	n reported must mply with QA/Q0 essed by 40 CFI	be based on data C requirements of R Part 136. At a r	collected throu 40 CFR Part 1	gh analysis con 36 and other ap	include information o ducted using 40 CFF propriate QA/QC req must be based on at	R Part 136 juirements for
ove me sta pol Ou	thods. In addition, the	n. All information nis data must co nalytes not addr st be no more th	n reported must mply with QA/Q0 essed by 40 CFI	be based on data C requirements of R Part 136. At a r -half years old.	collected throu 40 CFR Part 1	gh analysis con 36 and other ap int testing data i	ducted using 40 CFR propriate QA/QC req	R Part 136 juirements for
ove me sta pol Ou	thods. In addition, the ndard methods for a lutant scans and mu	n. All information nis data must co nalytes not addr st be no more th	n reported must mply with QA/Q0 essed by 40 CFI an four and one	be based on data C requirements of R Part 136. At a r -half years old.	collected throu 40 CFR Part 1 minimum, efflue	gh analysis con 36 and other ap int testing data i	ducted using 40 CFR propriate QA/QC req	R Part 136 juirements for
ove me sta pol Ou	thods. In addition, the ndard methods for a lutant scans and mu	n. All information nis data must co nalytes not addr st be no more th MAXIMU DISCH Conc.	n reported must mply with QA/Q(essed by 40 CF) an four and one M DAILY JARGE Units	be based on data C requirements of R Part 136. At a r -half years old. AVERAG Conc.	collected throu 40 CFR Part 1 minimum, efflue E DAILY DISCH	gh analysis con 36 and other ap int testing data in HARGE	ducted using 40 CFR propriate QA/QC req must be based on at ANALYTICAL	R Part 136 juirements for least three
ove me sta pol Ou Po	thods. In addition, the ndard methods for a lutant scans and mutfall Number:	n. All information nis data must co nalytes not addr st be no more th MAXIMU DISCH Conc.	n reported must mply with QA/Q(essed by 40 CF) an four and one M DAILY JARGE Units	be based on data C requirements of R Part 136. At a r -half years old. AVERAG Conc.	collected throu 40 CFR Part 1 minimum, efflue E DAILY DISCH	gh analysis con 36 and other ap int testing data in HARGE	ducted using 40 CFR propriate QA/QC req must be based on at ANALYTICAL	R Part 136 juirements for least three
Over me sta pol Our Proposition of the pol Our Proposition of the pol of the	thods. In addition, the ndard methods for a lutant scans and mutfall Number:	n. All information nis data must co nalytes not addr st be no more th MAXIMU DISCH Conc.	n reported must mply with QA/Q(essed by 40 CF) an four and one M DAILY JARGE Units	be based on data C requirements of R Part 136. At a r -half years old. AVERAG Conc.	collected throu 40 CFR Part 1 minimum, efflue E DAILY DISCH	gh analysis con 36 and other ap int testing data in HARGE	ducted using 40 CFR propriate QA/QC req must be based on at ANALYTICAL	R Part 136 juirements for least three
Over me sta pol Our Pro	thods. In addition, the ndard methods for a lutant scans and mutfall Number: OLLUTANT TIONAL AND NONCA (as N) E (TOTAL	n. All information nis data must co nalytes not addr st be no more th MAXIMU DISCH Conc.	n reported must mply with QA/Q(essed by 40 CF) an four and one M DAILY JARGE Units	be based on data C requirements of R Part 136. At a r -half years old. AVERAG Conc.	collected throu 40 CFR Part 1 minimum, efflue E DAILY DISCH	gh analysis con 36 and other ap int testing data in HARGE	ducted using 40 CFR propriate QA/QC req must be based on at ANALYTICAL	R Part 136 juirements for least three
OVE me sta pol Ou P(* DNVEN: MMONIA HLORIN ESIDUA	thods. In addition, the ndard methods for a lutant scans and mutfall Number: DLLUTANT TIONAL AND NONCA (as N) E (TOTAL L, TRC)	n. All information nis data must co nalytes not addr st be no more th MAXIMU DISCH Conc.	n reported must mply with QA/Q(essed by 40 CF) an four and one M DAILY JARGE Units	be based on data C requirements of R Part 136. At a r -half years old. AVERAG Conc.	collected throu 40 CFR Part 1 minimum, efflue E DAILY DISCH	gh analysis con 36 and other ap int testing data in HARGE	ducted using 40 CFR propriate QA/QC req must be based on at ANALYTICAL	R Part 136 juirements for least three
OVE ME STAND OUT PO TO THE KATTROGE	thods. In addition, the ndard methods for a lutant scans and mutfall Number: DLLUTANT TIONAL AND NONCA (as N) E (TOTAL L, TRC) ED OXYGEN JELDAHL IN (TKN)	n. All information nis data must co nalytes not addr st be no more th MAXIMU DISCH Conc.	n reported must mply with QA/Q(essed by 40 CF) an four and one M DAILY JARGE Units	be based on data C requirements of R Part 136. At a r -half years old. AVERAG Conc.	collected throu 40 CFR Part 1 minimum, efflue E DAILY DISCH	gh analysis con 36 and other ap int testing data in HARGE	ducted using 40 CFR propriate QA/QC req must be based on at ANALYTICAL	R Part 136 juirements for least three
OVE ME STAR POLICY OF THE STAR P	thods. In addition, the notated methods for a lutant scans and mutifall Number: DLLUTANT TIONAL AND NONCA (as N) E (TOTAL L, TRC) ED OXYGEN JELDAHL N (TKN) PLUS NITRITE	n. All information nis data must co nalytes not addr st be no more th MAXIMU DISCH Conc.	n reported must mply with QA/Q(essed by 40 CF) an four and one M DAILY JARGE Units	be based on data C requirements of R Part 136. At a r -half years old. AVERAG Conc.	collected throu 40 CFR Part 1 minimum, efflue E DAILY DISCH	gh analysis con 36 and other ap int testing data in HARGE	ducted using 40 CFR propriate QA/QC req must be based on at ANALYTICAL	R Part 136 juirements for least three
OVE ME STAR POLICY OF THE STAR P	thods. In addition, the notated methods for a lutant scans and mutifall Number: DLLUTANT TIONAL AND NONCA (as N) E (TOTAL L, TRC) ED OXYGEN JELDAHL IN (TKN) PLUS NITRITE	n. All information nis data must co nalytes not addr st be no more th MAXIMU DISCH Conc.	n reported must mply with QA/Q(essed by 40 CF) an four and one M DAILY JARGE Units	be based on data C requirements of R Part 136. At a r -half years old. AVERAG Conc.	collected throu 40 CFR Part 1 minimum, efflue E DAILY DISCH	gh analysis con 36 and other ap int testing data in HARGE	ducted using 40 CFR propriate QA/QC req must be based on at ANALYTICAL	R Part 136 juirements for least three
OVE ME STAND OUT PO TO THE STAND OUT	thods. In addition, the notated methods for a lutant scans and mutifall Number: DLLUTANT TIONAL AND NONCA (as N) E (TOTAL L, TRC) ED OXYGEN JELDAHL N (TKN) PLUS NITRITE	n. All information nis data must co nalytes not addr st be no more th MAXIMU DISCH Conc.	n reported must mply with QA/Q(essed by 40 CF) an four and one M DAILY JARGE Units	be based on data C requirements of R Part 136. At a r -half years old. AVERAG Conc.	collected throu 40 CFR Part 1 minimum, efflue E DAILY DISCH	gh analysis con 36 and other ap int testing data in HARGE	ducted using 40 CFR propriate QA/QC req must be based on at ANALYTICAL	R Part 136 juirements for least three
OVE ME STAND OUT	thods. In addition, the notes of a lutant scans and mustfall Number: DLLUTANT TIONAL AND NONCA (as N) E (TOTAL L, TRC) ED OXYGEN JELDAHL IN (TKN) PLUS NITRITE IN GREASE DRUS (Total) SSOLVED	n. All information nis data must co nalytes not addr st be no more th MAXIMU DISCH Conc.	n reported must mply with QA/Q(essed by 40 CF) an four and one M DAILY JARGE Units	be based on data C requirements of R Part 136. At a r -half years old. AVERAG Conc.	collected throu 40 CFR Part 1 minimum, efflue E DAILY DISCH	gh analysis con 36 and other ap int testing data in HARGE	ducted using 40 CFR propriate QA/QC req must be based on at ANALYTICAL	R Part 136 juirements for least three

FACILITY NAME AND PE	RMIT NUMBER:			form Approved 1/14/99
Town of Surry WWTF V	'A0061646		Ç	0MB Number 2040-0086
BASIC APPLICA	TION INFORMAT	ION		
PART C. CERTIFICATI	ON		*	
applicants must complete a have completed and are su	all applicable sections of Fo	orm 2A, as explained in the Apertification statement, applica	rmine who is an officer for the purposes opplication Overview Indicate below which into confirm that they have reviewed Form	h parts of Form 2A you
Indicate which parts of F	orm 2A you have complet	ted and are submitting:		
Basic Applicat	tion Information packet	Supplemental Application I	nformation packet:	
		Part D (Expanded	Effluent Testing Data)	
		Part E (Toxicity Te	esting: Biomonitoring Data)	
		Part F (Industrial t	Jser Discharges and RCRA/CERCLA Wa	astes)
		Part G (Combined	Sewer Systems)	
ALL APPLICANTS MUST	COMPLETE THE FOLLO	WING CERTIFICATION.		
designed to assure that qua who manage the system or	alified personnel properly g r those persons directly res complete. I am aware that	ather and evaluate the inform ponsible for gathering the info	under my direction or supervision in accontation submitted. Based on my inquiry of ormation, the information is, to the best of for submitting false information, including	the person or persons f my knowledge and
Name and official title _V	Will Gwaltney, Jr., Mayor	r, Town of Surry		
Signature $\underline{\mathcal{L}}$	vill Fred			
Telephone number (757) 294-3021			
Date signed _	4/12/16			-
Upon request of the permitt works or identify appropriat		omit any other information ne	cessary to assess wastewater treatment	practices at the treatment

SEND COMPLETED FORMS TO:

Not Applicable

Town of Surry WWTF VA0061646

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number: POLLUTANT	MAXIMUM DAILY DISCHARGE							waters DISCH/		-19.50	
			Mass			Conc. Units	Mass	Units	Number	ANALYTICAL	ML/ MDL
									of Samples	METHOD	
METALS (TOTAL RECOVERABLE),	CYANIDE,	PHENO	LS, AND	HARDNE	SS.			,			
ANTIMONY											
ARSENIC											
BERYLLIUM											
CADMIUM											
CHROMIUM											
COPPER											
EAD											
MERCURY											
NICKEL											
SELENIUM											
SILVER											
THALLIUM											
ZINC											
CYANIDE											
TOTAL PHENOLIC COMPOUNDS											
HARDNESS (AS CaCO ₃)											
Jse this space (or a separate sheet) t	o provide ir	formatio	n on othe	metals re	equested l	by the pe	rmit write	r.			

Town of Surry WWTF VA0061646

Not Applicable

Outfall number:		(Complete once for each outfall discharging effluent to waters of the United States.) MAXIMUM DAILY									
POLLUTANT	MAXIMUM DAILY DISCHARGE			A\	/ERAGE	EDAILY	DISCH				
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.				1	1				Campica		
ACROLEIN											
ACRYLONITRILE											
BENZENE											
BROMOFORM											
CARBON TETRACHLORIDE											
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHLORO-ETHYLVINYL ETHER											
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											
1,2-DICHLOROETHANE									en e		
TRANS-1,2-DICHLORO-ETHYLENE											
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE	,										
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE											
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE										and a state of the	
TOLUENE											

Town of Surry WWTF VA0061646

Not Applicable

Outfall number:									the United S	States.)	
POLLUTANT	MAXIMUM DAILY AVERAGE DAILY DISCHARGE DISCHARGE										
	Conc.	Units		Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
1,1,1-TRICHLOROETHANE											
1,1,2-TRICHLOROETHANE											
TRICHLORETHYLENE											
VINYL CHLORIDE											
Use this space (or a separate sheet) to	provide ir	nformatio	n on other	volatile c	organic cor	npounds	requeste	d by the p	permit writer.		
ACID-EXTRACTABLE COMPOUNDS											
P-CHLORO-M-CRESOL											
2-CHLOROPHENOL										444	
2,4-DICHLOROPHENOL											
2,4-DIMETHYLPHENOL											
4,6-DINITRO-O-CRESOL											
2,4-DINITROPHENOL											
2-NITROPHENOL											
4-NITROPHENOL											
PENTACHLOROPHENOL											
PHENOL											
2,4,6-TRICHLOROPHENOL						·					
Use this space (or a separate sheet) to	provide in	formatio	n on other	acid-extr	actable co	mpounds	requeste	d by the	permit writer.		
BASE-NEUTRAL COMPOUNDS.	T			Г	1	1					T
ACENAPHTHENE											
ACENAPHTHYLENE											
ANTHRACENE											
BENZIDINE											
BENZO(A)ANTHRACENE											
BENZO(A)PYRENE											

Town of Surry WWTF VA0061646

Not Applicable

Outfall number:									the United	States.)		
POLLUTANT	1		JM DAIL' HARGE	Υ	A)	/ERAGI	DAILY	DISCH	ARGE			
	Conc.	Units		Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL	
3,4 BENZO-FLUORANTHENE			ŕ									
BENZO(GHI)PERYLENE												
BENZO(K)FLUORANTHENE												
BIS (2-CHLOROETHOXY) METHANE												
BIS (2-CHLOROETHYL)-ETHER									-			
BIS (2-CHLOROISO-PROPYL) ETHER												
BIS (2-ETHYLHEXYL) PHTHALATE												
4-BROMOPHENYL PHENYL ETHER												
BUTYL BENZYL PHTHALATE												
2-CHLORONAPHTHALENE												
4-CHLORPHENYL PHENYL ETHER												
CHRYSENE												
DI-N-BUTYL PHTHALATE												
DI-N-OCTYL PHTHALATE												
DIBENZO(A,H) ANTHRACENE												
1,2-DICHLOROBENZENE												
1,3-DICHLOROBENZENE												
1,4-DICHLOROBENZENE												
3,3-DICHLOROBENZIDINE												
DIETHYL PHTHALATE												
DIMETHYL PHTHALATE												
2,4-DINITROTOLUENE												
2,6-DINITROTOLUENE												
1,2-DIPHENYLHYDRAZINE												

F 6 011	5 mm 5 /	6.1.6.EEF	ARIO	DEPREIT	MILIBRESETS.
PAL.II	_I I Y	NAME	AND	PERMI	NUMBER:

Town of Surry WWTF VA0061646

Not Applicable

Form Approved 1/14/99 OMB Number 2040-0086

Outfall number:	(Complete once for each outfall discharging effluent to waters of the United States.)										
POLLUTANT	MAXIMUM DAILY AVERAGE DAILY DISCHARGE DISCHARGE										
	Conc.	Units		Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
FLUORANTHENE											
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO- PENTADIENE											
HEXACHLOROETHANE				***							
INDENO(1,2,3-CD)PYRENE											
ISOPHORONE											
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											***************************************
N-NITROSODI-PHENYLAMINE									-		A CONTRACTOR OF THE CONTRACTOR
PHENANTHRENE											uki a kita uu u u u u u u u u u u u u u u u u u
PYRENE											
1,2,4-TRICHLOROBENZENE											
Use this space (or a separate sheet) to	provide in	formatio	n on other	base-ne	utral comp	ounds re	quested b	y the per	rmit writer.	<u></u>	
Use this space (or a separate sheet) to	provide in	formatio	n on other	pollutant	s (e.g., pe	sticides)	requested	by the p	permit writer.		

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

Town of Surry WWTF VA0061646

Not Applicable

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points. 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E. If no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to

complete E.1. Required Tests. Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years. E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one column per test (where each species constitutes a test). Copy this page if more than three tests are being reported. Test number: Test number: Test number: a. Test information. Test species & test method number Age at initiation of test Outfall number Dates sample collected Date test started Duration b. Give toxicity test methods followed. Manual title Edition number and year of publication Page number(s) c. Give the sample collection method(s) used. For multiple grab samples, indicate the number of grab samples used. 24-Hour composite Grab d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each) Before disinfection After disinfection After dechlorination

Town of Surry WWTF VA0061646

Not Applicable

	Test number:	Test number:	Test number:
e. Describe the point in the treatme	nt process at which the sample was	collected.	
Sample was collected:			
f. For each test, include whether the	e test was intended to assess chronic	c toxicity, acute toxicity, or both.	
Chronic toxicity			·
Acute toxicity			·
g. Provide the type of test performe	d.		
Static			
Static-renewal			
Flow-through			
h. Source of dilution water. If labora	atory water, specify type; if receiving	water, specify source.	
Laboratory water			
Receiving water			,
i. Type of dilution water. It salt water	er, specify "natural" or type of artificia	ıl sea salts or brine used.	
Fresh water			
Salt water			
j. Give the percentage effluent used	for all concentrations in the test ser	ies.	
k. Parameters measured during the	test. (State whether parameter mee	ts test method specifications)	
pH			
Salinity			
Temperature			
Ammonia			
Dissolved oxygen			
I. Test Results.			
Acute:			
Percent survival in 100% effluent	%	%	%
LC ₅₀			
95% C.I.	%	%	%
Control percent survival	%	%	%
Other (describe)			

FACILITY NAME AND PERMIT NUMBER Town of Surry WWTF VA0061646	₹:	Not Applicable	Form Approved 1/14/99 OMB Number 2040-0086			
Chronic:						
NOEC	%	%	%			
IC ₂₅	%	%	%			
Control percent survival	%	%	%			
Other (describe)						
m. Quality Control/Quality Assuran	ce.					
Is reference toxicant data available?						
Was reference toxicant test within acceptable bounds?						
What date was reference toxicant test run (MM/DD/YYYY)?						
Other (describe)						
E.3. Toxicity Reduction Evaluation. Is f		xicity Reduction Evaluation?				
E.4. Summary of Submitted Biomonitoring Test Information. If you have submitted biomonitoring test information, or information regarding the cause of toxicity, within the past four and one-half years, provide the dates the information was submitted to the permitting authority and a summary of the results.						
Date submitted:	(MM/DD/YYYY)					
Summary of results: (see instructions)						
REFER TO THE APPLICAT	END OF PA		ER PARTS OF FORM			

2A YOU MUST COMPLETE.

Page 17 of 21

Town of Surry WWTF VA0061646

Not Applicable

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

รบ	PPLEMENTAL APPLICATION INFORMATION
All tr	RT F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES reatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must plete Part F.
GEN	NERAL INFORMATION:
F.1.	Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program?
F.2.	Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works.
	a. Number of non-categorical SIUs.
	b. Number of CIUs.
SIG	NIFICANT INDUSTRIAL USER INFORMATION:
	bly the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 provide the information requested for each SIU.
	Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary. Name:
	Mailing Address:
F.4.	Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.
	Principal product(s):
	Raw material(s):
F.6.	Flow Rate.
	a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
	b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.
	gpd (continuous orintermittent)
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following:
	a. Local limitsYesNo
	b. Categorical pretreatment standardsYesNo
	If subject to categorical pretreatment standards, which category and subcategory?

FACILI	TY NAME AND PERMIT NUMBER:	Not Applicable Form Approved 1/14/99 OMB Number 2040-0086				
Town of	Surry WWTF VA0061646		ONIB Number 2040-0000			
	roblems at the Treatment Works Attributed to Waste Discharged by the osets, interference) at the treatment works in the past three years?	e SIU. Has the SIU caused or con	tributed to any problems (e.g.,			
_	YesNo If yes, describe each episode.					
_			•			
RCRA	HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DEDIC	ATED PIPELINE:				
F.9. R	CRA Waste. Does the treatment works receive or has it in the past three yet pe?YesNo (go to F.12.)	A 100 CO	aste by truck, rail, or dedicated			
F 10 V	Vaste Transport. Method by which RCRA waste is received (check all that	apply).				
	TruckRailDedicated Pipe	арріу).				
-						
	/aste Description. Give EPA hazardous waste number and amount (volur <u>PA Hazardous Waste Number</u> <u>Amount</u>	ne or mass, specify units). <u>Units</u>				
B.4444						
•		20,000				
	LA (SUPERFUND) WASTEWATER, RCRA REMEDIATION/CORF N WASTEWATER, AND OTHER REMEDIAL ACTIVITY WASTEV					
F.12. R	emediation Waste. Does the treatment works currently (or has it been not	tified that it will) receive waste fron	n remedial activities?			
	Yes (complete F.13 through F.15.)					
F	Provide a list of sites and the requested information (F.13 - F.15.) for each c	urrent and future site.				
		004/ // // // // // // // // // // // // /				
	/aste Origin. Describe the site and type of facility at which the CERCLA/R the next five years).	CRA/or other remedial waste origi	nates (or is expected to originate			
_			at reserve As Assistantia Programment Programment			
			<u> </u>			
	ollutants. List the hazardous constituents that are received (or are expected own. (Attach additional sheets if necessary).	ed to be received). Include data o	n volume and concentration, if			
N	iown. (Author additional sheets whosessary).					
			1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			
F.15. W	/aste Treatment.					
a.	Is this waste treated (or will it be treated) prior to entering the treatment v	vorks?				
	YesNo					
	If yes, describe the treatment (provide information about the removal efficiency	ciency):				
		AND THE RESIDENCE OF THE PARTY	and a second contract of the c			
		Analysis and Analy				
,	le the disphere (or will the disphere ha) realisation or intermitted	•				
b.	5 <i>/</i>	noribo disabarga sabadula				
	ContinuousIntermittent If intermittent, de	scribe discharge schedule.				
	FUD OF DAD	- -				

END OF PART F.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

Town of Surry WWTF VA0061646

Not Applicable

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART G. COMBINED SEWER SYSTEMS

If the treatment works has a combined sewer system, complete Part G.

- G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)
 - a. All CSO discharge points.
 - b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
 - c. Waters that support threatened and endangered species potentially affected by CSOs.
- **G.2.** System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:
 - a. Locations of major sewer trunk lines, both combined and separate sanitary.
 - b. Locations of points where separate sanitary sewers feed into the combined sewer system.
 - c. Locations of in-line and off-line storage structures.
 - d. Locations of flow-regulating devices.
 - e. Locations of pump stations.

CSO O	JTFALLS:			
Complet	e questions G.3 througl	n G.6 once for each CSO discharge point.		
G.3. Des	cription of Outfall.			
a.	Outfall number	A. C. L. C. Maria Managara Man		
b.	Location			
		(City or town, if applicable)	(Zip C	code)
		(County)	(State)
				·
		(Latitude)	(Long	itude)
			-	
C.	Distance from shore (if a		ft.	
d.	Depth below surface (if		ft.	
e.	Which of the following w	rere monitored during the last year for this CSO?		
	Rainfall	CSO pollutant concentrations	_CSO frequency	
	CSO flow volume	Receiving water quality		
f.	How many storm events	were monitored during the last year?		
G.4. CS) Events.			
a.	Give the number of CSC	events in the last year.		
	events (_ actual or approx.)		
b.	Give the average duration	on per CSO event.		
	hours (_ actual or approx.)		

FACILIT	Y NAME AND PERMIT NUMBER:	Not Applicable	Form Approved 1/14/99 OMB Number 2040-0086
Town of	Surry WWTF VA0061646		ONID IVUITIDET 2040-0000
C.	Give the average volume per CSO event.		
	million gallons (actual or approx.)		
d.	Give the minimum rainfall that caused a CSO event in the last year.		
	inches of rainfall		
G.5. De	scription of Receiving Waters.		
a.	Name of receiving water:		
b.	Name of watershed/river/stream system:	***************************************	
	United States Soil Conservation Service 14-digit watershed code (if know	vn):	
C.	Name of State Management/River Basin:		and the second s
	United States Geological Survey 8-digit hydrologic cataloging unit code (if known):	
G.6. CS	O Operations.		
pe	escribe any known water quality impacts on the receiving water caused by rmanent or intermittent shell fish bed closings, fish kills, fish advisories, oth ality standard).	ner recreational loss, or violation of	any applicable State water
_			
	END OF PAR	ΓG.	
REFE	R TO THE APPLICATION OVERVIEW TO DETI	ERMINE WHICH OTHE	R PARTS OF FORM

2A YOU MUST COMPLETE.

FACILITY NAME: Town of Surry WWTF VPDES PERMIT NUMBER: VA0061646 VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

SCREENING INFORMATION

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

determ	me wind	on sections to thi out.							
1.	All ap	All applicants must complete Section A (General Information).							
2.	Will t	his facility generate sewage sludge? X Yes No							
	Will t	his facility derive a material from sewage sludge?Yes _X_No							
		answered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material ed From Sewage Sludge).							
3.	Will this facility apply sewage sludge to the land?Yes _X_No								
	Will sewage sludge from this facility be applied to the land? _Yes _X_No								
	If you answered No to both questions above, skip Section C.								
	If you answered Yes to either, answer the following three questions:								
	a.	Will the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions? YesNo							
	b.	Will sewage sludge from this facility be placed in a bag or other container for sale or give-away for application to the land?YesNo							
	c.	Will sewage sludge from this facility be sent to another facility for treatment or blending?YesNo							
	If you	If you answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).							
	If you	answered Yes to a, b or c, skip Section C.							
4.	Do yo	ou own or operate a surface disposal site?Yes _XNo							
	If Yes	s, complete Section D (Surface Disposal).							

SECTION A. GENERAL INFORMATION

All applicants must complete this section.

1.	Facil	ity Information.
	a.	Facility name:Town of Surry WWTF
	b.	Contact person: Will Gwaltney, Jr.
		Title: Mayor, Town of Surry
		Phone: (757) 294-3021
	c.	Mailing address:
		Street or P.O. Box: 11463 Rolfe Highway
	1	City or Town: Surry State: VA Zip: 23883
	d.	Facility location:
		Street or Route #: 11463 Rolfe Highway
		County:
		City or Town: Surry State: VA Zip: 23883
	e.	Is this facility a Class I sludge management facility?Yes _X_No
	f.	Facility design flow rate: 0.060 / 0.099 mgd
	g. h.	Total population served: <u>8,120</u>
	11.	Indicate the type of facility: X Publicly owned treatment works (POTW)
		Privately owned treatment works (FOT w)
		Federally owned treatment works
		Blending or treatment operation
		Surface disposal site
		Other (describe):
		omer (desertee).
2.	Appli	cant Information. If the applicant is different from the above, provide the following:
	a.	Applicant name:
	b.	Mailing address:
		Street or P.O. Box:
		City or Town: State: Zip:
	c.	Contact person:
		Title:
		Phone: ()
	d.	Is the applicant the owner or operator (or both) of this facility?
		owneroperator
	e.	Should correspondence regarding this permit be directed to the facility or the applicant? (Check one)
		facility applicant
3.	Permi	it Information.
	a.	Facility's VPDES permit number (if applicable): <u>VA0061646</u>
	b.	List on this form or an attachment, all other federal, state or local permits or construction approvals received
	0.	or applied for that regulate this facility's sewage sludge management practices:
		Permit Number: Type of Permit:
4.	India	Country. Does any generation, treatment, storage, application to land or disposal of sewage sludge from this
		y occur in Indian Country? Yes X No If yes, describe:

- 5. Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility:
 - a. Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
 - b. Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.
- 6. Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction. Solids are pumped to aerobic digester and then to drying beds. Dried solids are transported to landfill.

7.	Contractor Information. Are any operational or maintenance aspects of this facility related to sewage sludge generation, treatment, use or disposal the responsibility of a contractor?Yes _X_No					
		If yes, provide the following for each contractor (attach additional pages if necessary).				
	Name:					
	Mailing address:					
	Street or P.O. Box:					
	City or Town:	State:	Zip:			
	Phone: ()					
	Contractor's Federal, State or Local Permit N	Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:				

If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).

8. Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old.

POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
Arsenic	Not applicable			
Cadmium	Solids go to landfill			
Chromium				
Copper				
Lead				
Mercury				
Molybdenum				
Nickel				
Selenium				
Zinc				

9.	Certification. Read and submit the following certification statement with this application. Refer to the instructions to determine who is an officer for purposes of this certification. Indicate which parts of the application you have completed and are submitting:
	XSection A (General Information)XSection B (Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge)Section C (Land Application of Bulk Sewage Sludge)Section D (Surface Disposal)

FACILITY NAME: Town of Surry WWTF

VPDES PERMIT NUMBER: VA0061646

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title Will M. Gwaltney Jr., Mayor

Signature (Sell M. Ywalk Date Signed 4/12/16

Telephone number (757) 294-3021

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

FACILITY NAME: Town of Surry WWTF VPDES PERMIT NUMBER: VA0061646

SECTION B. CENERATION OF SEWACE SLUDGE OR REPRADATION

SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION OF A MATERIAL DERIVED FROM SEWAGE SLUDGE

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1.	Amount Generated On Site. Total dry metric tons per 365-day period generated at your facility: 9 dry metric tons				
2.	dispo sewa a.	unt Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or sal, provide the following information for each facility from which sewage sludge is received. If you receive ge sludge from more than one facility, attach additional pages as necessary. <i>Not Applicable</i> Facility name:			
	b.	Contact Person: Title: Phone ()			
	c.	Mailing address: Street or P.O. Box: City or Town: State: Zip:			
	d.	Facility Address: (not P.O. Box)			
	e. f.	Total dry metric tons per 365-day period received from this facility: dry metric tons Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:			
3.	Treat	ment Provided at Your Facility.			
	a.	Which class of pathogen reduction is achieved for the sewage sludge at your facility? Class AClass BX_Neither or unknown			
	b.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce pathogens in sewage sludge: N/A			
	c.	Which vector attraction reduction option is met for the sewage sludge at your facility? Option 1 (Minimum 38 percent reduction in volatile solids) Option 2 (Anaerobic process, with bench-scale demonstration) Option 3 (Aerobic process, with bench-scale demonstration) Option 4 (Specific oxygen uptake rate for aerobically digested sludge) Option 5 (Aerobic processes plus raised temperature) Option 6 (Raise pH to 12 and retain at 11.5) Option 7 (75 percent solids with no unstabilized solids) Option 8 (90 percent solids with unstabilized solids) X_ None or unknown			
	d.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge: N/A			
	e.	Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including blending, not identified in a - d above: <u>N/A</u>			
4.	of Ve	Preparation of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and One of Vector Attraction Reduction Options 1-8 (EQ Sludge). <u>Not Applicable</u> (If sewage sludge from your facility does not meet all of these criteria, skip Question 4.)			
	a.	Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land: dry metric tons			
	b.	Is sewage sludge subject to this section placed in bags or other containers for sale or give-away? YesNo			


FACII	LITY NA	AME: Town of Surry WWTF VPDES PERMIT NUMBER: VA0061646
5.		r Give-Away in a Bag or Other Container for Application to the Land.
		lete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this
	, -	n if sewage sludge is covered in Question 4.) N/A
	a.	Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility
		for sale or give-away for application to the land: dry metric tons
	b.	Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or
	0.	given away in a bag or other container for application to the land.
6.	~	ent Off Site for Treatment or Blending. N/A
		tete this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question
		t apply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is
	covered	l in Questions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)
	a.	Receiving facility name:
	b.	Facility contact:
		Title:
		Phone: ()
	c.	Mailing address:
		Street or P.O. Box:
		City or Town: State: Zip:
	d.	Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: dry
		metric tons
	e.	List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of
		all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal
		practices:
		Permit Number: Type of Permit:
	f.	Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your
		facility?YesNo
		Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility?
		Class AClass BNeither or unknown
		Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to
		reduce pathogens in sewage sludge:
	~	Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the
	g.	sewage sludge?YesNo
		Which vector attraction reduction option is met for the sewage sludge at the receiving facility?
		Option 1 (Minimum 38 percent reduction in volatile solids)
		Option 2 (Anaerobic process, with bench-scale demonstration)
		Option 2 (Anacrobic process, with bench-scale demonstration) Option 3 (Aerobic process, with bench-scale demonstration)
		Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
		Option 5 (Aerobic processes plus raised temperature)
		Option 6 (Raise pH to 12 and retain at 11.5)
		Option 7 (75 percent solids with no unstabilized solids)
		Option 8 (90 percent solids with unstabilized solids)
		None unknown
		Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to
		reduce vector attraction properties of sewage sludge:
	h.	Does the receiving facility provide any additional treatment or blending not identified in f or g above?
	11.	YesNo
		If yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above:
		22 y 22, 222-1,100, on and 20111 of another or puper, the meaning processes not recommed in 1 of 5 and 101
	i.	If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility


to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.

FACII	ITY NA	AME: Town of Surry WWTF VPDES PERMIT	NUMBER: <u>VA0061646</u>		
	j	Does the receiving facility place sewage sludge from your facility in a bag or other	container for sale or give-		
		away for application to the land?YesNo			
	1	If yes, provide a copy of all labels or notices that accompany the product being sold			
	k.	Will the sewage sludge be transported to the receiving facility in a truck-mounted vused for such purposes? Yes No. If no, provide description and specification	vatertight tank normally		
		transport the sewage sludge to the receiving facility.	non on the ventere used to		
		Show the haul route(s) on a location map or briefly describe the haul route below a	nd indicate the days of the		
		week and the times of the day sewage sludge will be transported.	·		
7.	Land A	Application of Bulk Sewage Sludge. <u>N/A</u>			
		ete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge	is covered in Questions 4, 5 or		
	6; comple	olete Question 7.b, c & d only if you are responsible for land application of sewage sludge.)			
	a.	Total dry metric tons per 365-day period of sewage sludge applied to all land applied	cation sites:dry		
		metric tons	N.T.		
	b.	Do you identify all land application sites in Section C of this application?Yes			
		If no, submit a copy of the Land Application Plan (LAP) with this application (LAI accordance with the instructions).	should be prepared in		
	c.	Are any land application sites located in States other than Virginia?YesNo	•		
	.	If yes, describe, on this form or on another sheet of paper, how you notify the perm			
		States where the land application sites are located. Provide a copy of the notification			
	4				
	J	Attach a convert on winformation you may ide to the express on loose helder of the lo	nd application sites to		
	d.	Attach a copy of any information you provide to the owner or lease holder of the la comply with the "notice and necessary" information requirement of 9 VAC 25-31-5			
		may be obtained in Appendix IV).	50 Fund of FF (Examples		
		· · · · · · · · · · · · · · · · · · ·			
8.	Surface Disposal. N/A				
		ete Question 8 if sewage sludge from your facility is placed on a surface disposal site.)	d11		
	a.	Total dry metric tons per 365-day period of sewage sludge from your facility placed sites: dry metric tons	i on all surface disposal		
	b.	Do you own or operate all surface disposal sites to which you send sewage sludge f	or disposal?		
	0.	Yes No	or disposar.		
		If no, answer questions c - g for each surface disposal site that you do not own or o	perate. If you send sewage		
		sludge to more than one surface disposal site, attach additional pages as necessary.			
	c.	Site name or number:			
	d.	Contact person:			
		Title: Phone: ()			
		Contact is:Site OwnerSite operator			
	e.	Mailing address.			
	0.	Street or P.O. Box:			
		City or Town: State: Zip:			
	f.	Total dry metric tons per 365-day period of sewage sludge from your facility placed	d on this surface disposal		
		site: dry metric tons			
	g.	List, on this form or an attachment, the surface disposal site VPDES permit number			
		all other federal, state or local permits that regulate the sewage sludge use or disposed disposal site:	at practices at the surface		
		Permit Number: Type of Permit:			
9.	Incinaro	ration. N/A			
7.		ete Question 9 if sewage sludge from your facility is fired in a sewage sludge incinerator.)			
	a.	Total dry metric tons per 365-day period of sewage sludge from your facility fired in	in a sewage sludge		
		incinerator: dry metric tons			

FAC	ILITY N	NAME: Town of Surry WWTF VP	DES PERMIT NUMBER: VA0061646
	b.	Do you own or operate all sewage sludge incinerators in which sewaYesNo	age sludge from your facility is fired?
		If no, answer questions c - g for each sewage sludge incinerator that sewage sludge to more than one sewage sludge incinerator, attach ac	
	c.	Incinerator name or number:	1 2
	d.	Contact person:	
		Title:	
		Phone: ()	
		Contact is:Incinerator OwnerIncinerator Operator	
	e.	Mailing address.	
		Street or P.O. Box:	
		City or Town: State: Zip:	
	f.	Total dry metric tons per 365-day period of sewage sludge from you	er facility fired in this sewage sludge
		incinerator: dry metric tons	a racinty med in this servage strage
g. List on this form or an attachment the numbers of all other federal, state or l		List on this form or an attachment the numbers of all other federal s	tate or local permits that regulate the
	۶.	firing of sewage sludge at this incinerator:	nate of foods portifies that regulate the
		Permit Number: Type of Permit:	
		Territoria Type of Fermit.	
10.	Dispo	posal in a Municipal Solid Waste Landfill.	
	(Comp	mplete Question 10 if sewage sludge from your facility is placed on a municipal solid v	waste landfill. Provide the following information
		each municipal solid waste landfill on which sewage sludge from your facility is placed	
	munic	nicipal solid waste landfill, attach additional pages as necessary.)	
	a.	Landfill name: Atlantic Waverly Landfill	
	b.	Contact person: <u>Jason Williams</u>	
		Title: Senior District Manager	
		Phone: (757) 834-8300	
		Contact is:Landfill OwnerX_Landfill Operator	
	c.	Mailing address.	
		Street or P.O. Box: 3474 Atlantic Lane	
		City or Town: Waverly State: VA	Zip: <u>23890-3726</u>
	d.	Landfill location.	
		Street or Route #: 3474 Atlantic Lane	
		County:	
		City or Town: Waverly State: VA	Zip: <u>23890-3726</u>
	e.	Total dry metric tons per 365-day period of sewage sludge placed in	this municipal solid waste landfill:
		dry metric tons	
	f.	List, on this form or an attachment, the numbers of all federal, state	or local permits that regulate the
		operation of this municipal solid waste landfill:	
		Permit Number: Type of Permit:	
		Solid Waste Facility P	<u>ermit</u>
	g.	Does sewage sludge meet applicable requirements in the Virginia So	
		VAC 20-80-10 et seq., concerning the quality of materials disposed	in a municipal solid waste landfill?
		X_YesNo	
	h.	Does the municipal solid waste landfill comply with all applicable comply applicable comply with all applicable comply a	
Waste Management Regulation, 9 VAC 20-80-10 et seq.?		Waste Management Regulation, 9 VAC 20-80-10 et seq.? X Yes	
	i.	Will the vehicle bed or other container used to transport sewage sluc	lge to the municipal solid waste landfill
		be watertight and covered? Yes No	
		Show the haul route(s) on a location map or briefly describe the rout	
		and time of the day sewage sludge will be transported. Leave WW	
		West, proceeding to Route 602 Atlantic Lane. Haul days are Monda	y through Friday, 7AM-3PM.

Proposed WWTP Line Diagram





Route 626 Pump Station Town of Surry Route 10 Pump Station Wastewater Treatment Plant (10)

Note: There are no wells or springs within 4 mile of the Plant.

NOT APPLICABLE

Complete this section for sewage sludge that is land applied unless any of the following conditions apply:

The sewage sludge meets the Table 1 ceiling concentrations, the Table 3 pollutant concentrations, Class A pathogen requirements and one of the vector attraction reduction options 1-8 (fill out B.4 instead) (EQ Sludge); or

The sewage sludge is sold or given away in a bag or other container for application to the land (fill out B.5 instead); or

You provide the sewage sludge to another facility for treatment or blending (fill out B.6 instead).

Complete Section C for every site on which the sewage sludge that you reported in B.7 is land applied.

1.	Ident	ification of Land Application Site.
	a.	Site name or number:
	b.	Site location (Complete i and ii)
		i. Street or Route#:
		County:
		City or Town: State: Zip:
		City or Town: State: Zip: ii. Latitude: Longitude:
		Method of latitude/longitude determination
		USGS map Filed survey Other
	c.	Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable
		that shows the site location.
2.	Owne	er Information.
	a.	Are you the owner of this land application site?YesNo
	b.	If no, provide the following information about the owner:
		Name:
		Street or P.O. Box:
		City or Town: State: Zip:
		Phone: ()
3.	Appli	er Information:
	a.	Are you the person who applies, or who is responsible for application of, sewage sludge to this land application site?YesNo
	b.	If no, provide the following information for the person who applies the sewage sludge:
	٥.	Name:
		Street or P.O. Box:
		City or Town: State: Zip:
		Phone: ()
	c.	List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the person
	Ψ.	who applies sewage sludge to this land application site:
		Permit Number: Type of Permit:
1.		Type. Identify the type of land application site from among the following:
		gricultural landReclamation siteForest
	Pu	blic contact siteOther. Describe
5.		or Attraction Reduction.
		ny vector attraction reduction requirements met when sewage sludge is applied to the land application site? YesNo If yes, answer a and b.
	a.	Indicate which vector attraction reduction option is met:
		Option 9 (Injection below land surface)
		Option 10 (Incorporation into soil within 6 hours)
	b.	Describe, on this form or on another sheet of paper, any treatment processes used at the land application site
	٠.	to reduce the vector attraction properties of sewage sludge:

6

	elete Question 6 only if the sewage sludge applied to this site since July 20, 1993 is subject to the cumulative pollutant loading rates (s) - see instructions.)
a.	Have you contacted DEQ or the permitting authority in the state where the sewage sludge subject to the CPLRs will be applied to ascertain whether bulk sewage sludge subject to the CPLRs has been applied to this
	site since July 20, 1993?YesNo If no, sewage sludge subject to the CPLRs may <u>not</u> be applied to this site.
	If yes, provide the following information:
	Permitting authority:
	Contact person:
	Phone:()
b.	Based upon this inquiry, has bulk sewage sludge subject to the CPLRs been applied to this site since July 20, 1993?YesNo If no, skip the rest of Question 6. If yes, answer questions c - e.
c.	Site size, in hectares: (one hectare = 2.471 acres)
d.	Provide the following information for every facility other than yours that is sending or has sent sewage sludge subject to the CPLRs to this site since July 20, 1993. If more than one such facility sends sewage sludge to
	this site, attach additional pages as necessary.
	Facility name:
	Facility contact:
	Title:
	Phone: ()
	Mailing address.
	Street or P.O. Box:
	City or Town: State: Zip:
e.	Provide the total loading and allotment remaining, in kg/hectare, for each of the following pollutants:
	Cumulative loading Allotment remaining
	Arsenic
	Cadmium
	Copper
	Lead
	Mercury
	Nickel
	Selenium
	Zinc

Complete Questions 7-12 below only if you apply sewage sludge, or you are responsible for land application of sewage sludge. Information required by these questions may be prepared as attachments to this form. Skip the following questions if you contract land application to someone else (as indicated under Section A.7) who is responsible for the operation.

7. Sludge Characterization. Use the table below or a separate attachment, provide at least one analysis for each parameter.

> pH (S. U.) Percent Solids (%) Ammonium Nitrogen (mg/kg) Nitrate Nitrogen (mg/kg) Total Kjeldahl Nitrogen (mg/kg) Total Phosphorus (mg/kg)

Total Potassium (mg/kg)

PCBs (mg/kg)

Alkalinity as CaCO₃* (mg/kg)

Lime treated sludge (10% or more lime by dry weight) should be analyzed for percent CaCO₃.

8. Storage Requirements.

Existing and proposed sludge storage facilities must provide an estimated annual sludge balance on a monthly basis incorporating such factors as storage capacity, sludge production and land application schedule. Include pertinent calculations justifying storage requirements.

Proposed sludge storage facilities must also provide the following information:

- a. A sludge storage site layout on a 7.5 minute topographic quadrangle or other appropriate scaled map to show the following topographic features of the surrounding landscape to a distance of 0.25 mile. Clearly mark the property line.
 - 1) Water wells, abandoned or operating
 - 2) Surface waters
 - 3) Springs
 - 4) Public water supply(s)
 - 5) Sinkholes
 - 6) Underground and/or surface mines
 - 7) Mine pool (or other) surface water discharge points
 - 8) Mining spoil piles and mine dumps
 - 9) Quarry(s)
 - 10) Sand and gravel pits
 - 11) Gas and oil wells
 - 12) Diversion ditch(s)
 - 13) Agricultural drainage ditch(s)
 - 14) Occupied dwellings, including industrial and commercial establishments
 - 15) Landfills or dumps
 - 16) Other unlined impoundments
 - 17) Septic tanks and drainfields
 - 18) Injection wells
 - 19) Rock outcrops
- b. A topographic map of sufficient detail to clearly show the following information:
 - 1) Maximum and minimum percent slopes
 - 2) Depressions on the site that may collect water
 - 3) Drainageways that may attribute to rainfall run-on to or runoff from this site
 - 4) Portions of the site (if any) which are located with the 100-year floodplain and how the storage facility will be protected from flooding
- c. Data and specifications for the storage facility lining material.
- d. Plan and cross-sectional views of the storage facility.
- e. Depth from the bottom of the storage facility to the seasonal high water table and separation distance to the permanent water table.
- 9. Land Area Requirements. Provide calculations justifying the land area requirements for land application of sewage sludge taking into consideration average soil productivity group, crop(s) to be grown and most limiting factor(s) of the sewage sludge, specifically Plant Available Nitrogen (PAN), Calcium Carbonate Equivalence (CCE), and metal loadings (CPLR sewage sludge only), where applicable. Relate PAN, CCE, and metal loadings to demonstrate the most limiting factor for land application.
- 10. Landowner Agreement Forms. Provide a properly completed **Land Application Agreement Biosolids** Form and necessary attachments (attached at end of VPDES Sewage Sludge Permit Application Form) for each landowner if sewage sludge is to be applied onto land not owned by the applicant.
- 11. Ground Water Monitoring.

Are any ground water monitoring data available for this land application site? ___Yes ___No If yes, submit the ground water monitoring data with this permit application. Also submit a written description of the well locations, approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.

12. Land Application Site Information.

(Complete Items a-d for sites receiving infrequent application - land application of sewage sludge up to the agronomic rate at a frequency of once in a 3 year period; complete Items a-h for sites receiving frequent application - land application of sewage sludge in excess of 70% the agronomic rate at a frequency greater than once in a 3 year period)

- a. Provide a general location map for each county which clearly indicates the location of all the land application sites.
- b. For each land application site provide a site plan of sufficient detail to clearly show the concerned landscape features and associated buffer zones (See instructions). Provide a legend for each landscape feature and the net acreage for each field taking into account the proposed buffer zones.
- In order to ensure that land application of bulk sewage sludge will not impact federally listed threatened or endangered species or federally designated critical habitat, the applicant must notify the field office of the U.
 S. Department of the Interior, Fish and Wildlife Service (FWS), by a letter, the proposed land application activities with the identification of the land application sites. The address and phone number of FWS are provided below.

U. S. Fish and Wildlife Service Virginia Field Office 6669 Short Lane Gloucester, VA 23061 TEL: (804)693-6694

Provide a copy of the notification letter with this application form.

d. Provide a soil survey map, preferably photographically based, with the field boundaries clearly marked. (A USDA-SCS soil survey map should be provided, if available.)
 Provide a detailed legend for each soil survey map which uses accepted USDA-SCS descriptions of the

typifying pedon for each soil series (soil type). Complex associations may be described as a range of characteristics. Soil descriptions shall include as a minimum the following information.

- 1) Soil symbol
- 2) Soil series, textural phase and slope range
- 3) Depth to seasonal high water table
- 4) Depth to bedrock
- 5) Estimated soil productivity group (for the proposed crop rotation)

Item e - h are required for sites receiving frequent application of sewage sludge

- e. In order to verify the information provided in item d, characterize the soil at each land application site.

 Representative soil borings or test pits to a depth of five feet or to bedrock if shallower, are to be coordinated for the typifying pedon of each soil series (soil type). Soil descriptions shall include as a minimum the following information:
 - 1). Soil symbol
 - 2). Soil series, textural phase and slope range
 - 3). Depth to seasonal high water table
 - 4). Depth to bedrock
 - 5). Estimated soil productivity group (for the proposed crop rotation)

f. Collect and analyze soil samples from each field, weighted to best represent each of the soil borings performed for Item e. Using the table below or a separate attachment, provide at least one analysis per sample for each of the following parameters.

Soil Organic Matter (%)

Soil pH (std. units)

Cation Exchange Capacity (meq/100g)

Total Nitrogen (ppm)

Organic Nitrogen (ppm)

Ammonia Nitrogen (ppm)

Nitrate Nitrogen (ppm)

Available Phosphorus (ppm)

Exchangeable Potassium (mg/100g)

Exchangeable Sodium (mg/100g)

Exchangeable Calcium (mg/100g)

Exchangeable Magnesium (mg/100g)

Arsenic (ppm)

Cadmium (ppm)

Copper (ppm)

Lead (ppm)

Mercury (ppm)

Molybdenum (ppm)

Nickel (ppm)

Selenium (ppm)

Zinc (ppm)

Manganese (ppm)

Particle Size Analysis or

USDA Textural Estimate (%)

- g. Relate the crop nutrient needs to anticipated yields, soil productivity rating and the various fertilizer or nutrient sources from sludge and chemical fertilizers. Describe any specialized agronomic management practices which may be required as a result of high soil pH. If the sludge is expected to possess an unusually high CCE or other unusual properties, provide a description of any plant tissue testing, supplemental fertilization or intensive agronomic management practices which may be necessary.
- h. Using a narrative format and referencing any related charts, describe the proposed cropping system. Show how the crop rotation and management will be coordinated with the design of the land application system. Include any supplemental fertilization program, soil testing and the coordination of tillage practices, planting and harvesting schedules and timing of land application.

SECTION D. SURFACE DISPOSAL

NOT APPLICABLE

Complete this section only if you own or operate a surface disposal site. Provide the information for each active sewage sludge unit.

1.	Infor	mation on Active Sewage Sludge Units.
	a.	Unit name or number:
	b.	Unit location
		i. Street or Route#:
		Country
		City or Town: State: Zip: ii. Latitude: Longitude:
		ii. Latitude: Longitude:
		Method of latitude/longitude determination
		USGS map Filed survey Other
	c.	Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable)
	٥.	that shows the site location.
	d.	Total dry metric tons of sewage sludge placed on the active sewage sludge unit per 365-day period:
	a.	dry metric tons.
	e.	Total dry metric tons of sewage sludge placed on the active sewage sludge unit over the life of the unit:
	C.	dry metric tons.
	f.	Does the active sewage sludge unit have a liner with a minimum hydraulic conductivity of
	1.	1 x 10^{-7} cm/sec?YesNo If yes, describe the liner or attach a description.
		1 x 10 cm/sec?1esno 11 yes, describe the filler of attach a description.
	g.	Does the active sewage sludge unit have a leachate collection system?YesNo
		If yes, describe the leachate collection system or attach a description. Also, describe the method used for
		leachate disposal and provide the numbers of any federal, state or local permits for leachate disposal:
	h.	If you answered no to either f or g, answer the following:
	11.	Is the boundary of the active sewage sludge unit less than 150 meters from the property line of the surface
		disposal site?YesNo If yes, provide the actual distance in meters:
	i.	Remaining capacity of active sewage sludge unit, in dry metric tons: dry metric tons
	1.	Anticipated closure date for active sewage sludge unit, if known:(MM/DD/YYYY)
		Provide with this application a copy of any closure plan developed for this active sewage sludge unit.
		Trovide with this approaction a copy of any closure plan developed for this active sewage studge and.
2.	Sewa	ge Sludge from Other Facilities.
	Is sev	vage sludge sent to this active sewage sludge unit from any facilities other than yours?YesNo
	If yes	, provide the following information for each such facility, attach additional sheets as necessary.
	a.	Facility name:
	b.	Facility contact:
		Title:
		Phone: ()
	c.	Mailing address.
		Street or P.O. Box:
		City or Town: State: Zip:
	d.	List, on this form or an attachment, the facility's VPDES permit number as well as the numbers of all other
	۵.	federal, state or local permits that regulate the facility's sewage sludge management practices:
		Permit Number: Type of Permit:
		1 ypo of t offine.
	e.	Which class of pathogen reduction is achieved before sewage sludge leaves the other facility?
	٠.	Class AClass BNeither or unknown
	f	Describe on this form or on another sheet of paner any treatment processes used at the other facility to

		reduce pathogens in sewage sludge:
	g,	Which vector attraction reduction option is achieved before sewage sludge leaves the other facility? Option 1 (Minimum 38 percent reduction in volatile solids) Option 2 (Anaerobic process, with bench-scale demonstration) Option 3 (Aerobic process, with bench-scale demonstration) Option 4 (Specific oxygen uptake rate for aerobically digested sludge) Option 5 (Aerobic processes plus raised temperature) Option 6 (Raise pH to 12 and retain at 11.5) Option 7 (75 percent solids with no unstabilized solids) Option 8 (90 percent solids with unstabilized solids) None or unknown
	h.	Describe, on this form or another sheet of paper, any treatment processes used at the other facility to reduce vector attraction properties of sewage sludge:
	i.	Describe, on this form or another sheet of paper, any other sewage sludge treatment activities performed by the other facility that are not identified in e - h above:
3.	Vecto	r Attraction Reduction.
	a.	Which vector attraction reduction option, if any, is met when sewage sludge is placed on this active sewage sludge unit? Option 9 (Injection below land surface) Option 10 (Incorporation into soil within 6 hours) Option 11 (Covering active sewage sludge unit daily)
	b.	Describe, on this form or another sheet of paper, any treatment processes used at the active sewage sludge unit to reduce vector attraction properties of sewage sludge:
4.	Grour	d Water Monitoring.
.	a.	Is ground water monitoring currently conducted at this active sewage sludge unit or are ground water monitoring data otherwise available for this active sewage sludge unit?YesNo If yes, provide a copy of available ground water monitoring data. Also provide a written description of the well locations, the approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.
	b.	Has a ground water monitoring program been prepared for this active sewage sludge unit? YesNo If yes, submit a copy of the ground water monitoring program with this application.
	c.	Have you obtained a certification from a qualified ground water scientist that the aquifer below the active sewage sludge unit has not been contaminated?YesNo If yes, submit a copy of the certification with this application.
5.	Are yo	pecific Limits. but seeking site-specific pollutant limits for the sewage sludge placed on the active sewage sludge unit? sNo If yes, submit information to support the request for site-specific pollutant limits with this application.

FACILITY NAME: Town of Surry WWTF

VPDES PERMIT NUMBER: VA0061646

VPDES Permit Application Addendum

	Entity to whom the permit is to be issued: Town of Surry
	ho will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or may t be the facility or property owner.
2.	Is this facility located within city or town boundaries? Yes No
3.	Provide the tax map parcel number for the land where the discharge is located. 27A-1-48A
4.	For the facility to be covered by this permit, how many acres will be disturbed during the next
ſĩ۷	ve years due to new construction activities? 0.2 acres
5.	What is the design average effluent flow of this facility? 0.060 / 0.099 MGD For industrial facilities, provide the max. 30-day average production level, include units:
	101 industrial facilities, provide the max. 30 day average production level, include diffes.
	In addition to the design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? Yes No X If "Yes", please identify the other flow tiers (in MGD) or production levels:
	ease consider the following questions for both the flow tiers and the production levels (if applicable): Do you plan to pand operations during the next five years? Is your facility's design flow considerably greater than your current flow?
	Nature of operations generating wastewater: 5% residential, 25% commercial
	75 % of flow from domestic connections/sources
	Number of private residences to be served by the treatment works: 329
	25 % of flow from non-domestic connections/sources
7.	Mode of discharge: ☐ Continuous ☐ Intermittent ☐ Seasonal Describe frequency and duration of intermittent or seasonal discharges:
8.	Identify the characteristics of the receiving stream at the point just above the facility's discharge point:
	Permanent stream, never dry Intermittent stream, usually flowing, sometimes dry
	Ephemeral stream, wet-weather flow, often dry
	Effluent-dependent stream, usually or always dry without effluent flow
	Lake or pond at or below the discharge point
	Other:
9.	Approval Date(s):
	O & M Manual 7/31/1986 Sludge/Solids Management Plan N/A
	Have there been any changes in your operations or procedures since the above approval dates? Yes No UV Disinfection system

10. Privately Owned Treatment Works

If this application is for a privately owned treatment works serving, or designed to serve, 50 or more residences, you must include with your application notification from the State Corporation Commission that you are incorporated in the Commonwealth and verification from the SCC that you are in compliance with all regulations and relevant orders of the State Corporation Commission. Incorporated also includes Limited Liability Companies (LLCs), Limited Partnerships (LPs) and certificates of authority.

11. Consent to receive electronic mail

The Department of Environmental Quality (DEQ) may deliver permits and certifications (this includes permit issuances, reissuances, modifications, revocation and reissuances, terminations and denials) to recipients, including applicants or permittees, by electronically certified mail where the recipients notify DEQ of their consent to receive mail electronically (§ 10.1-1183). Check *only one* of the following to consent to or decline receipt of electronic mail from DEQ as follows:

Applicant or permittee agrees to receive by electronic mail the permit that may be issued for the proposed pollutant management activity, and to certify receipt of such electronic mail when requested by the DEQ.

If yes, provide email:	
	nittee declines to receive by electronic mail the permit that may be
issued for the bro	cosed pollutant management activity.

PUBLIC NOTICE BILLING INFORMATION

I hereby authorize the Department of Envir	conmental Quality to have the cost of publis	hing a public
notice billed to the Agent/Department show	wn below. The public notice will be publish	ned once a week
for two consecutive weeks in Sussex-Surr	y Dispatch	in accordance
with 9 VAC 25-31-290.C.2.		
Agent/Department to be billed:	Will Gwaltney, Jr., Mayor, Town of Surry	
Owner:	Will Gwaltney, Jr., Mayor, Town of Surry	
Agent/Department Address:	11463 Rolfe Highway	
	Surry, VA 23883	
Agent's Telephone No.:	(757) 294-3021	
Printed Name:	Will Gwaltney, Jr.	
Authorizing Agent – Signature:	Will Freath	
Date:	4/12/16	

VPDES Permit No. VA0061646

Facility Name: Town of Surry Wastewater Treatment Facility

ATTACHMENT A DEPARTMENT OF ENVIRONMENTAL QUALITY WATER QUALITY CRITERIA MONITORING

Effective January 1, 2012, all analyses shall be in accordance with 1VAC30-45, Certification for Noncommercial Environmental Laboratories, or 1VAC30-46, Accreditation for Commercial Environmental Laboratories.

A listing of Virginia Environmental Laboratory Accreditation Program (VELAP) certified and/or accredited laboratories can be found at the following website:

http://www.dgs.state.va.us/DivisionofConsolidatedLaboratoryServices/Services/EnvironmentalLaboratoryCertification/tabid/1059/Default.aspx

Please be advised that additional water quality analyses may be necessary and/or required for permitting purposes.

CASRN	CHEMICAL	EPA ANALYSIS NO.	QUANTIFICATION LEVEL ⁽¹⁾	REPORTING RESULTS	SAMPLE TYPE ⁽²⁾	SAMPLE FREQUENCY
a ago a de a como de ago a		META	ALS			
7440-36-0	Antimony, dissolved	(3)	1.4	<1.00	G or C	1/5 YR
7440-38-2	Arsenic, dissolved	(3)	1.0	<1.00	G or C	1/5 YR
7440-43-9	Cadmium, dissolved	(3)	0.3	<0.05	G or C	1/5 YR
16065-83-1	Chromium III, dissolved (6)	(3)	3.6	<1.00	G or C	1/5 YR
18540-29-9	Chromium VI, dissolved (6)	(3)	1.6	<1.00	G or C	1/5 YR
7440-50-8	Copper, dissolved	(3)	0.50	1.92	G or C	1/5 YR
7439-92-1	Lead, dissolved	(3)	0.50	0.26	G or C	1/5 YR
7439-97-6	Mercury, dissolved	(3)	1.0	<0.10	G or C	1/5 YR
7440-02-0	Nickel, dissolved	(3)	0.94	1.27	G or C	1/5 YR
7782-49-2	Selenium, Total Recoverable	(3)	2.0	<0.50	G or C	1/5 YR
7440-22-4	Silver, dissolved	(3)	0.20	<0.20	G or C	1/5 YR
7440-28-0	Thallium, dissolved	(3)	(4)	<0.50	G or C	1/5 YR
7440-66-6	Zinc, dissolved	(3)	3.6	12.4	G or C	1/5 YR
		PESTICIDE	ES/PCBs			
309-00-2	Aldrin	608/625	0.05	<0.05	G or C	1/5 YR
57-74-9	Chlordane	608/625	0.2	<0.20	G or C	1/5 YR
2921-88-2	Chlorpyrifos (synonym = Dursban)	622	(4)	<0.100	G or C	1/5 YR
72-54-8	DDD	608/625	0.1	<0.05	G or C	1/5 YR
72-55-9	DDE	608/625	0.1	<0.05	G or C	1/5 YR
50-29-3	DDT	608/625	0.1	<0.05	G or C	1/5 YR

CASRN	CHEMICAL	EPA ANALYSIS NO.	QUANTIFICATION LEVEL ⁽¹⁾	REPORTING RESULTS	SAMPLE TYPE ⁽²⁾	SAMPLE FREQUENCY
8065-48-3	Demeton (synonym = Dementon-O,S)	622	(4)	<0.100	G or C	1/5 YR
333-41-5	Diazinon	622	(4)	<0.100	G or C	1/5 YR
60-57-1	Dieldrin	608/625	0.1	<0.05	G or C	1/5 YR
959-98-8	Alpha-Endosulfan (synonym = Endosulfan I)	608/625	0.1	<0.05	G or C	1/5 YR
33213-65-9	Beta-Endosulfan (synonym = Endosulfan II)	608625	0.1	<0.05	G or C	1/5 YR
1031-07-8	Endosulfan Sulfate	608/625	0.1	<0.05	G or C	1/5 YR
72-20-8	Endrin	608/625	0.1	<0.05	G or C	1/5 YR
7421-93-4	Endrin Aldehyde	608/625	(4)	<0.05	G or C	1/5 YR
86-50-0	Guthion (synonym = Azinphos Methyl)	622	(4)	<0.100	G or C	1/5 YR
76-44-8	Heptachlor	608/625	0.05	<0.05	G or C	1/5 YR
1024-57-3	Heptachlor Epoxide	608/625	(4)	<0.05	G or C	1/5 YR
319-84-6	Hexachlorocyclohexane Alpha-BHC	608/625	(4)	<0.05	G or C	1/5 YR
319-85-7	Hexachlorocyclohexane Beta-BHC	608/625	(4)	<0.05	G or C	1/5 YR
58-89-9	Hexachlorocyclohexane Gamma-BHC (syn. = Lindane)	608/625	(4)	<0.05	G or C	1/5 YR
143-50-0	Kepone Emalio	8081 Extended/ 8270C/8270D	(4)	<0.40	G or C	1/5 YR
121-75-5	Malathion	614	(4)	<1	G or C	1/5 YR
72-43-5	Methoxychlor	608.2	(4)	<0.050	GorC	1/5 YR
2385-85-5	Mirex	8081 Extended/ 8270C/8270D	(4)	<0.05	G or C	1/5 YR
56-38-2	Parathion (synonym = Parathion Ethyl)	614	(4)	<1	GorC	1/5 YR
1336-36-3	PCB, total	608/625	7.0	<7.00	G or C	1/5 YR
8001-35-2	Toxaphene	608/625	5.0	<0.50	G or C	1/5 YR
	BASE N	IEUTRAL E	XTRACTA	BLES		
83-32-9	Acenaphthene	610/625	1 <u>0</u> .0	<10.0	G or C	1/5 YR
120-12-7	Anthracene	610/625	10.0	<10.0	G or C	1/5 YR
92-87-5	Benzidine	625	(4)	<10.0	G or C	1/5 YR
56-55-3	Benzo (a) anthracene	610/625	10.0	<10.0	G or C	1/5 YR
205-99-2	Benzo (b) fluoranthene	610/625	10.0	<10.0	G or C	1/5 YR
207-08-9	Benzo (k) fluoranthene	610/625	10.0	<10.0	G or C	1/5 YR
50-32-8	Benzo (a) pyrene	610/625	10.0	<10.0	G or C	1/5 YR
111-44-4	Bis 2-Chloroethyl Ether	625	(4)	<10.0	G or C	1/5 YR

CASRN	CHEMICAL	EPA ANALYSIS NO.	QUANTIFICATION LEVEL ⁽¹⁾	REPORTING RESULTS	SAMPLE TYPE ⁽²⁾	SAMPLE FREQUENCY
108-60-1	Bis 2-Chloroisopropyl Ether	625	(4)	<10.0	G or C	1/5 YR
117-81-7	Bis 2-Ethylhexyl Phthalate (syn. = Di-2-Ethylhexyl Phthalate)	625	10.0	<10.0	G or C	1/5 YR
85-68-7	Butyl benzyl phthalate	625	10.0	<10.0	G or C	1/5 YR
91-58-7	2-Chloronaphthalene	625	(4)	<10.0	G or C	1/5 YR
218-01-9	Chrysene	610/625	10.0	<10.0	G or C	1/5 YR
53-70-3	Dibenzo (a,h) anthracene	610/625	20.0	<10.0	G or C	1/5 YR
95-50-1	1,2-Dichlorobenzene	602/624	10.0	<10.0	G or C	1/5 YR
541-73-1	1,3-Dichlorobenzene	602/624	10.0	<10.0	G or C	1/5 YR
106-46-7	1,4-Dichlorobenzene	602/624	10.0	<10.0	G or C	1/5 YR
91-94-1	3,3-Dichlorobenzidine	625	(4)	<10.0	G or C	1/5 YR
84-66-2	Diethyl phthalate	625	10.0	<10.0	G or C	1/5 YR
131-11-3	Dimethyl phthalate	625	(4)	<10.0	G or C	1/5 YR
84-74-2	Di-n-butyl Phthalate (synonym = Dibutyl Phthalate)	625	10.0	<10.0	G or C	1/5 YR
121-14-2	2,4-Dinitrotoluene	625	10.0	<10.0	G or C	1/5 YR
122-66-7	1,2-Diphenylhydrazine	625/ 8270C/8270D	(4)	<10.0	G or C	1/5 YR
206-44-0	Fluoranthene	610/625	10.0	<10.0	G or C	1/5 YR
86-73-7	Fluorene	610/625	10.0	<10.0	G or C	1/5 YR
118-74-1	Hexachlorobenzene	625	(4)	<10.0	G or C	1/5 YR
87-68-3	Hexachlorobutadiene	625	(4)	<10.0	G or C	1/5 YR
77-47-4	Hexachlorocyclopentadiene	625	(4)	<10.0	G or C	1/5 YR
67-72-1	Hexachloroethane	625	(4)	<10.0	G or C	1/5 YR
193-39-5	Indeno(1,2,3-cd)pyrene	610/625	20.0	<10.0	G or C	1/5 YR
78-59-1	Isophorone	625	10.0	<10.0	G or C	1/5 YR
98-95-3	Nitrobenzene	625	10.0	<10.0	G or C	1/5 YR
62-75-9	N-Nitrosodimethylamine	625	(4)	<10.0	G or C	1/5 YR
621-64-7	N-Nitrosodi-n-propylamine	625	(4)	<10.0	G or C	1/5 YR
86-30-6	N-Nitrosodiphenylamine	625	(4)	<10.0	G or C	1/5 YR
129-00-0	Pyrene	610/625	10.0	<10.0	G or C	1/5 YR
120-82-1	1,2,4-Trichlorobenzene	625	10.0	<10.0	G or C	1/5 YR

CASRN	CHEMICAL	EPA ANALYSIS NO.	QUANTIFICATION LEVEL ⁽¹⁾	REPORTING RESULTS	SAMPLE TYPE ⁽²⁾	SAMPLE FREQUENCY
107-02-8	Acrolein	624	(4)	<50.0	G	1/5 YR
107-13-1	Acrylonitrile	624	(4)	<10.0	G	1/5 YR
71-43-2	Benzene	602/624	10.0	<10.0	G	1/5 YR
75-25-2	Bromoform	624	10.0	<10.0	G	1/5 YR
56-23-5	Carbon Tetrachloride	624	10.0	<10.0	G	1/5 YR
108-90-7	Chlorobenzene (synonym = Monochlorobenzene)	602/624	50.0	<10.0	G	1/5 YR
124-48-1	Chlorodibromomethane	624	10.0	<10.0	G	1/5 YR
67-66-3	Chloroform	624	10.0	<10.0	G	1/5 YR
75-27-4	Dichlorobromomethane	624	10.0	<10.0	G	1/5 YR
107-06-2	1,2-Dichloroethane	624	10.0	<10.0	G	1/5 YR
75-35-4	1,1-Dichloroethylene	624	10.0	<10.0	G	1/5 YR
156-60-5	1,2-trans-dichloroethylene	624	(4)	<10.0	G	1/5 YR
78-87-5	1,2-Dichloropropane	624	(4)	<10.0	G	1/5 YR
542-75-6	1,3-Dichloropropene	624	(4)	<20.0	G	1/5 YR
100-41-4	Ethylbenzene	602/624	10.0	<10.0	G	1/5 YR
74-83-9	Methyl Bromide (synonym = Bromomethane)	624	(4)	<10.0	G	1/5 YR
75-09-2	Methylene Chloride (synonym = Dichloromethane)	624	20.0	<10.0	G	1/5 YR
79-34-5	1,1,2,2-Tetrachloroethane	624	(4)	<10.0	G	1/5 YR
127-18-4	Tetrachloroethylene (synonym = Tetrachloroethene)	624	10.0	<10.0	G	1/5 YR
10-88-3	Toluene	602/624	10.0	<10.0	G	1/5 YR
79-00-5	1,1,2-Trichloroethane	624	(4)	<10.0	G	1/5 YR
79-01-6	Trichloroethylene (synonym = Trichloroethene)	624	10.0	<10.0	G	1/5 YR
75-01-4	Vinyl Chloride	624	10.0	<10.0	G	1/5 YR
	A	CID EXTRA	CTABLES			
95-57-8	2-Chlorophenol	625	10.0	<10.0	G or C	1/5 YR
120-83-2	2,4 Dichlorophenol	625	10.0	<10.0	G or C	1/5 YR
105-67-9	2,4 Dimethylphenol	625	10.0	<10.0	G or C	1/5 YR
51-28-5	2,4-Dinitrophenol	625	(4)	<10.0	G or C	1/5 YR
534-52-1	2-Methyl-4,6-Dinitrophenol	625	(4)	<10.0	G or C	1/5 YR
25154-52-3	Nonylphenol	ASTM D 7065-06	(4)	<10.0	G or C	1/5 YR

CASRN	CHEMICAL	EPA ANALYSIS NO.	QUANTIFICATION LEVEL ⁽¹⁾	REPORTING RESULTS	SAMPLE TYPE ⁽²⁾	SAMPLE FREQUENCY
87-86-5	Pentachlorophenol	625	50.0	<10.0	G or C	1/5 YR
108-95-2	Phenol	625	10.0	<10.0	G or C	1/5 YR
88-06-2	2,4,6-Trichlorophenol	625	10.0	<10.0	G or C	1/5 YR
		MISCELLA	NEOUS			
776-41-7	Ammonia as NH3-N	Lachat 10-107- 06-1-C	200	0.62	С	1/5 YR
16887-00-6	Chloride	(3)	(4)	42.5	С	1/5 YR
7782-50-5	Chlorine, Total Residual	(3)	100	NA / UV	G	1/5 YR
57-12-5	Cyanide, Free ⁽⁸⁾	ASTM 4282-02	10.0	<10	G	1/5 YR
N/A	E. coli / Enterococcus (N/CML)	(3)	(4)	12	G	1/5 YR
18496-25-8	Sulfide, dissolved (7)	ASTM D4658-09	100	<0.10	G or C	1/5 YR
60-10-5	Tributyltin	(5)	(4)	ND	G or C	1/5 YR
471-34-1	Hardness (mg/L as CaCO₃)	(3)	(4)	40.6	G or C	1/5 YR

Well M Stratter Mayor 4/12/16

Name of Principal Executive Officer or Authorized Agent & Title

WILL M. Gwaltney Jr. Mayor 4/12/16
Signature of Principal Executive Officer or Authorized Agent & Date

Signature of Frincipal Executive Officer of Authorized Agent & Date

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations. See 18 U.S.C. Sec. 1001 and 33 U.S.C. Sec. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)

FOOTNOTES:

(1) Quantification level (QL) means the minimum levels, concentrations, or quantities of a target variable (e.g. target analyte) that can be reported with a specified degree of confidence in accordance with 1VAC30-45, Certification for Noncommercial Environmental Laboratories, or 1VAC30-46, Accreditation for Commercial Environmental Laboratories.

The quantification levels indicated for the metals are actually Specific Target Values developed for this permit. The Specific Target Value is the approximate value that may initiate a wasteload allocation analysis. Target values are not wasteload allocations or effluent limitations. The Specific Target Values are subject to change based on additional information such as hardness data, receiving stream flow, and design flows.

Units for the quantification level are micrograms/liter unless otherwise specified.

Quality control and quality assurance information (i.e. laboratory certificates of analysis) shall be submitted to document that the required quantification level has been attained.

(2) Sample Type

- G = Grab = An individual sample collected in less than 15 minutes. Substances specified with "grab" sample type shall only be collected as grabs. The permittee may analyze multiple grabs and report the average results provided that the individual grab results are also reported. For grab metals samples, the individual samples shall be filtered and preserved immediately upon collection.
- C = Composite = A 4-hour composite unless otherwise specified. The composite shall be a combination of individual samples, taken proportional to flow, obtained at hourly or smaller time intervals. The individual samples may be of equal volume for flows that do not vary by +/- 10 percent over a 24-hour period.
- (3) A specific analytical method is not specified; however, an appropriate method to meet the QL shall be selected from any approved method presented in 40 CFR Part 136.
- (4) The QL is at the discretion of the permittee. If the test result is less than the method QL, a "<[QL]" shall be reported where the actual analytical test QL is substituted for [QL].
- (5) Analytical Methods: Analysis of Butyltins in Environmental Systems by the Virginia Institute of Marine Science, dated November 1996 (currently the only Virginia Environmental Laboratory Accreditation Program (VELAP) accredited method).
- (6) Both Chromium III and Chromium VI may be measured by the total chromium analysis. The total chromium analytical test QL shall be less than or equal to the lesser of the Chromium III or Chromium VI method QL listed above. If the result of the total chromium analysis is less than the analytical test QL, both Chromium III and Chromium VI can be reported as "<[QL]", where the actual analytical test QL is substituted for [QL].
- (7) Dissolved sulfide may be measured by the total sulfide analysis. The total sulfide analytical test QL shall be less than or equal to the dissolved sulfide method QL listed above. If the result of the total sulfide analysis is less than the analytical test QL, dissolved sulfide can be reported as "<[QL]", where the actual analytical test QL is substituted for [QL].
- (8) Free cyanide may be measured by the total cyanide analysis. The total cyanide analytical test QL shall be less than or equal to the free cyanide method QL listed above. If the result of the total cyanide analysis is less than the analytical test QL, free cyanide can be reported as "<[QL]", where the actual analytical test QL is substituted for [QL].</p>



CENTRAL ENVIRONMENTAL ANALYTICAL REPORT VA Laboratory ID 460011 LABORATORY



Report Serial No.: 2016-659

Job ID: HRSD PA-021816-284

Sample ID: SR_T_FB-C-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Field Blank

Sample ID: 510737

Sample Sub-Type: FB

Analysis Analysis Time 18:41 14:25 11:45 14:20 14:20 14:20 14:20 11:39 18:41 14:20 14:20 14:20 14:20 18:41 18:41 18:41 18:41 03/09/16 03/08/16 03/08/16 03/10/16 03/08/16 03/09/16 03/09/16 03/09/16 03/09/16 03/09/16 03/09/16 03/08/16 03/08/16 03/08/16 03/08/16 03/08/16 03/08/16 03/10/16 03/04/16 Date **CWILLIAMS CWILLIAMS WILLIAMS** KWILLIAMS CWILLIAMS **BSTAPLES KWILLIAMS KWILLIAMS** KWILLIAMS **CWILLIAMS CWILLIAMS MBOGGIO MBOGGIO** MBOGGIO MBOGGIO **MBOGGIO** MBOGGIO MBOGGIO KWILLIAMS Analyst 007 0.50 0.10 0.05 0.50 0.10 0.50 0.20 0.50 1.00 0.05 0.05 0.05 1.00 0.05 0.05 00.1 Flag Result <0.05 <0.05 <0.10 <0.50 <1.00 <0.05 <0.05 <0.05 <0.05 <0.05 <0.50 <0.10 21.00 ∆1.00 <0.50 < 0.50 <0.20 Ē l/gu l/gr l/gn l/gu /gn /bn Ng/ /bn ng/l l/gn β'n l/gu /gu l/gu /gn Vgn l/gu /bn l/gu 32786-62-4 7440-50-8 7440-02-0 7440-28-0 7440-66-6 7782-49-2 7440-36-0 7440-38-2 7440-43-9 7440-22-4 319-84-6 7440-47-3 7439-92-1 72-55-9 50-29-3 319-85-7 72-54-8 309-00-2 57-74-9 CAS# EPA 200.8, Rev. 5.4 EPA 245.1 **EPA 608** Method **EPA 608 EPA 608 EPA 608 EPA 608 EPA 608 EPA 608** Cadmium, Dissolved Antimony, Dissolved Thallium, Dissolved Mercury, Dissolved Arsenic, Dissolved Copper, Dissolved Nickel, Dissolved Silver, Dissolved Chromium, Total Lead, Dissolved Selenium, Total Zinc, Dissolved Alpha-BHC Beta-BHC Chlordane 4,4'-DDD 4,4'-DDE 4,4'-DDT Analyte Aldrin

LOQ is towest concentration at which quantitation is demonstrated. *Analyte is not included in the HRSD CEL VELAP scape of accreditation

Print Date:

3/24/2016

Page 1 of 14



CENTRAL ENVIRONMENTAL ANALYTICAL REPORT VA Laboratory ID 460011 LABORATORY

Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FB-C-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Field Blank

Sample ID: 510737

Sample Sub-Type: FB

основников в достроння политический политиче	MINISTERNATION OF THE PROPERTY	THE PROPERTY OF THE PROPERTY O	CONTRACTOR AND SHOULD SHEW SOUTH STREET STRE	en e	CONCRETERIORENIA PROGRAMMA CONTRACTOR	A ORISO DE LA PROPERTICION DE LA PORTE DE			ACCORDONACION DE CONTRACTOR DE
Analyte	Method	CAS#	Ajund N cocor Loca BURSO TARGO	Result	Flag	LOQ	Analyst	Analysis Analysis Date Time	Analysis Time
Dieldrin	EPA 608	60-57-1	l/gu	<0.05		0.05	MBOGGIO	03/09/16	18:41
Endosulfan I	EPA 608	959-98-8	l/gn	<0.05		0.05	MBOGGIO	03/09/16	18:41
Endosulfan II	EPA 608	33213-65-9	l/Bn	<0.05		0.05	MBOGGIO	03/09/16	18:41
Endosulfan Sulfate	EPA 608	1031-07-8	l/gn	<0.05		0.05	MBOGGIO	03/09/16	18:41
Endrin	EPA 608	72-20-8	ng/l	<0.05		0.05	MBOGGIO	03/09/16	18:41
Endrin Aldehyde	EPA 608	7421-93-4	Ngu.	<0.05		0.05	MBOGGIO	03/09/16	18:41
Gamma-BHC	EPA 608	58-89-9	l/bn	<0.05		0.05	MBOGGIO	03/09/16	18:41
Heptachlor	EPA 608	76-44-8	ng/l	<0.05		0.05	MBOGGIO	03/09/16	18:41
Heptachlor Epoxide	EPA 608	1024-57-3	l/gn	<0.05		0.05	MBOGGIO	03/09/16	18:41
Total Arochlors	EPA 608	1336-36-3	l/gu	<7.00		7.00	MBOGGIO	03/09/16	18:41
Toxaphene	EPA 608	8001-35-2	l/gu	<0.50		0.50	MBOGGIO	03/09/16	18:41
Chlorphyriphos	EPA 622	02921-88-2	l/gu	<0.100		0.100	MBOGGIO	03/09/16	14:23
Demeton, Total	EPA 622	08065-48-3	l/gu	<0.100		0.100	DLO	03/03/16	00:60
Demeton-O	EPA 622	08065-48-3A	l/gu	<0.030		0.030	MBOGGIO	03/09/16	14:23
Demeton-S	EPA 622	08065-48-3B	l/gu	<0.070		0.070	MBOGGIO	03/09/16	14:23
Diazinon	EPA 622	00333-41-5	/bn	<0.100		0.100	MBOGGIO	03/09/16	14:23
Guthion	EPA 622	00086-50-0	l/Bn	<0.100	,	0.100	MBOGGIO	03/09/16	14:23
1,2,4-Trichlorobenzene	EPA 625	120-82-1	l/gu	<10.0		10.0	SLOPEZ	03/08/16	20:40
NOICES									

LOQ is towest concentration at which quantitation is demonstrated. *Analyte is not included in the HRSD CEL VELAP scope of accreditation

3/24/2016

Print Date:





Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FB-C-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Field Blank

Sample ID: 510737

Sample Sub-Type: FB

					area di vecani versi de la compania	SILVER CHILD STREET	derziecenniiilikwypikidywywkiatokogo ketwiersy	And the least th	Analycia
Analyte	Method	CAS#	5	Result	Flag	LOG	Analyst	Date	Time
1,2-Diphenylhydrazine	EPA 625	122-66-7	l/gn	<10.0		10.0	SLOPEZ	03/08/16	20:40
1,2-Diphenylhydrazine is converted to Azobenzene in the extraction	obenzene in the extraction process.								
2,4,6-Trichlorophenol	EPA 625	88-06-2	l/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
2,4-DNT	EPA 625	121-14-2	ng/I	<10.0		10.0	SLOPEZ	03/08/16	20:40
2,4-Dichlorophenol	EPA 625	120-83-2	l/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
2,4-Dimethylphenol	EPA 625	105-67-9	l/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
2,4-Dinitrophenol	EPA 625	51-28-5	l/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
2-Chloronaphthalene	EPA 625	91-58-7	l/gn	<10.0		10.0	SLOPEZ	03/08/16	20:40
4,6-Dinitro-o-Cresol	EPA 625	534-52-1	l/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Acenaphthene	EPA 625	83-32-9	l/ôn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Anthracene	EPA 625	120-12-7	V∂n	<10.0		10.0	SLOPEZ	03/08/16	20:40
Benzo(a) anthracene	EPA 625	56-55-3	l/ôn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Benzo(a) pyrene	EPA 625	50-32-8	l/Bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Benzo(b) fluoranthene	EPA 625	205-99-2	ng/l	<10.0		10.0	SLOPEZ	03/08/16	20:40
Benzo(k) fluoranthene	EPA 625	207-08-9	l/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Bis(2-chloroethyl) ether	EPA 625	111-44-4	ng/l	<10.0		10.0	SLOPEZ	03/08/16	20:40
Bis(2-chloroisopropyl) ether	EPA 625	108-60-1	l/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Butylbenzylphthalate	EPA 625	85-68-7	l/6n	<10.0		10.0	SLOPEZ	03/08/16	20:40
Chrysene	EPA 625	218-01-9	l/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Notes									

Notes 100 is lowest con

LOQ is towest concentration at which quantitation is demonstrated. "Analyte is not included in the HRSD CEL VELAP scape of accreditation

Print Date: 3/24/2016

Page 3 of 14





Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FB-C-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Field Blank

Sample ID: 510737

Sample Sub-Type: FB

				The state of the s				TO STATE OF THE PERSON NAMED IN COLUMN NAMED I	CONTRACTOR STREET, STR
Analyte	Method	CAS#	Unit	Result	Flag	LOQ	Analyst	Analysis Analysis Date Time	Analysis Time
Di(2-ethylhexyl)phthalate	EPA 625	117-81-7	l/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Di-n-butyl phthalate	EPA 625	84-74-2	l/Bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Dibenzo (ah) anthracene	EPA 625	53-70-3	l/Bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Diethyl phthalate	EPA 625	84-66-2	l/gu	<10.0		10.0	SLOPEZ	03/08/16	20:40
Dimethyl phthalate	EPA 625	131-11-3	1/gn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Fluoranthene	EPA 625	206-44-0	l/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Fluorene	EPA 625	86-73-7	l/6n	<10.0		10.0	SLOPEZ	03/08/16	20:40
Hexachlorobenzene	EPA 625	118-74-1	l/6n	<10.0		10.0	SLOPEZ	03/08/16	20:40
Hexachlorobutadiene	EPA 625	87-68-3	l/6n	<10.0		10.0	SLOPEZ	03/08/16	20:40
Hexachlorocyclopentadiene	EPA 625	77-47-4	l/gu	<10.0		10.0	SLOPEZ	03/08/16	20:40
Hexachloroethane	EPA 625	67-72-1	ng/l	<10.0		10.0	SLOPEZ	03/08/16	20:40
Indeno (1,2,3-cd) pyrene	EPA 625	193-39-5	l/gu	<10.0		10.0	SLOPEZ	03/08/16	20:40
Isophorone	EPA 625	78-59-1	/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Nitrobenzene	EPA 625	98-95-3	/Bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Pentachlorophenol	EPA 625	87-86-5	ng/l	<10.0		10.0	SLOPEZ	03/08/16	20:40
Phenol	EPA 625	108-95-2	l/ôn	<10.0		10.0	SLOPEZ	03/08/16	20:40
Pyrene	EPA 625	129-00-0	/bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
n-Nitrosodi-n-Propylamine	EPA 625	621-64-7	√6n	<10.0		10.0	SLOPEZ	03/08/16	20:40
n-Nitrosodimethylamine Notes	EPA 625	62-75-9	l/gu	<10.0		10.0	SLOPEZ	03/08/16	20:40

LOQ is lowest concentration at which quantitation is demonstrated. *Analyte is not included in the HRSD CEL VELAP scope of accreditation

Print Date: 3/24/2016



Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FB-C-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Field Blank

Sample ID: 510737

Sample Sub-Type: FB

Analyte	Wethod	CAS#	shoot S seed Jeen Euro euro euro euro	Result	<u>교</u>	LOQ	Analyst	Analysis Analysis Date Time	Analysis Time
n-Nitrosodiphenylamine	EPA 625	86-30-6	/Bn	<10.0		10.0	SLOPEZ	03/08/16	20:40
n-Nitrosodiphenylamine is converted to Diphenylamine in the injection port.	ine in the injection port.								
o-Chlorophenol	EPA 625	95-57-8	l/6n	<10,0		10.0	SLOPEZ	03/08/16	20:40
Kepone	EPA 8081B	143-50-0	l/gu	<0.40		0.40	MBOGGIO	03/09/16	13:02
Methoxychlor	EPA 8081B	72-43-5	ng/l	<0.050		0.050	MBOGGIO	03/09/16	18:41
Mirex	EPA 8081B	2385-85-5	l/gu	<0.05		0.05	MBOGGIO	03/09/16	18:41
Notes									

LOQ is towest concentration at which quantitation is demonstrated. *Analyte is not included in the HRSD CEL VELAP scope of accreditation

Page 5 of 14





Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FB-G-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Field Blank

Sample ID: 510736

Sample Sub-Type: FB

Analyte	Method	CAS#		Result	Flag	LOQ	Analyst	Analysis Analysis Date Time	Analysis Time
1,1,2,2-Tetrachloroethane	EPA 624	79-34-5	√8n	<10.0	AND COMMENTAL STREET,	10.0	OTO	03/02/16	14:09
1,1,2-Trichloroethane	EPA 624	79-00-5	l/gu	<10.0		10.0	DLO	03/02/16	14:09
1,1-Dichloroethylene	EPA 624	75-35-4	l/gu	<10.0		10.0	DLO	03/02/16	14:09
1,2-Dichlorobenzene	EPA 624	95-50-1	l/6n	<10.0		10.0	DLO	03/02/16	14:09
1,2-Dichloroethane	EPA 624	107-06-2	l/gu	<10.0		10.0	DLO	03/02/16	14:09
1,2-Dichloropropane	EPA 624	78-87-5	l/gu	<10.0	,	10.0	DĽO	03/02/16	14:09
1,3-Dichlorobenzene	EPA 624	541-73-1	l/gu	<10.0		10.0	DLO	03/02/16	14:09
1,3-Dichloropropene (cls+frans)	EPA 624	10061-01-5/10061- 02-	//Bn	<20.0		20.0	DEO	03/02/16	14:09
1,4-Dichlorobenzene	EPA 624	106-46-7	l/gu	<10.0		10.0	DLO	03/02/16	14:09
Acrolein	EPA 624	107-02-8	ng/l	<10.0		10.0	DLO	03/02/16	14:09
Acrylonitrile	EPA 624	107-13-1	ng/l	<10.0		10.0	DLO	03/02/16	14:09
Benzene	EPA 624	71-43-2	l/bn	<10.0		10.0	DLO	03/02/16	14:09
Bromodichloromethane	EPA 624	75-27-4	l/ĝn	<10.0		10.0	DLO	03/02/16	14:09
Bromoform	EPA 624	75-25-2	l/gu	<10.0		10.0	DLO	03/02/16	14:09
Bromomethane	EPA 624	74-83-9	l/gu	<10.0		10.0	DIO	03/02/16	14:09
Carbon Tetrachloride	EPA 624	56-23-5	ng/I	<10.0		10.0	070	03/02/16	14:09
Chlorobenzene	EPA 624	108-90-7	l/gn	<10.0		10.0	OTO	03/02/16	14:09
Chlorodibromomethane	EPA 624	124-48-1	ng/l	<10.0		10.0	070	03/02/16	14:09
Chloroform	EPA 624	67-66-3	l/gu	<10.0		10.0	OTO	03/02/16	14:09
Notes									

LOQ is lowest concentration at which quantitation is demonstrated. *Analyte is not included in the HRSD CEL VELAP scope of accreditation

Print Date: 3/24/2016

Page 6 of 14



Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FB-G-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Field Blank

Sample ID: 510736

Sample Sub-Type: FB

Analyte	Method	CAS#	igus t ente Sand Sand Head		E E E	Log	Analyst	Analysis / Date	Analysis Time
Ethylbenzene	EPA 624	100-41-4	l/bn	<10.0		10.01	DLO	03/02/16	14:09
Methylene Chloride	EPA 624	75-09-2	l/gu	<10.0		10.0	DLO	03/02/16	14:09
Tetrachloroethene	EPA 624	127-18-4	l/ Bn	<10.0		10.0	DLO	03/02/16	14:09
Toluene	EPA 624	108-88-3	l/gu	<10.0		10.0	DLO	03/02/16	14:09
Trichloroethylene	EPA 624	79-01-6	l/bn	<10.0		10.0	DLO	03/02/16	14:09
Vinyl Chloride	EPA 624	75-01-4	l/bn	<10.0		10.0	DLO	03/02/16	14:09
trans-1,2-Dichloroethene	EPA 624	156-60-5	l/gu	<10.0		10.0	DLO	03/02/16	14:09
Notes									

LOQ is towest concentration at which quantifation is demonstrated. "Analyte is not included in the HRSD CEL VELAP scope of accreditation

IA6 - There are no recoveries in the MS/MSD.

Page 7 of 14



Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FNE-C-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Final Effluent

Sample ID: 510740

Sample Sub-Type: SAMP

	noministratorismistrat	on communications are actions communications and confidence and co	oskoni dragi sem sim sim sim sim sim sim sim sim sim si	STITUT THYRITY SOLD THE LIBRARY OF THE STITUTE BEACH STATES AND THE STITUTE STATES AND THE STATE	and descriptions of the second	COMPANY PROPERTY FOR THE PROPERTY FOR TH	425535800950THOSTRANGOS ECONOSCIANISTICA ALIACIDADOS AS	Analysis Analysis	Analysis
Analyte	Method	CAS#	Second Se	Result	Flag	LOQ	Analyst	Date	Time
Ammonia-N, Distilled	Lachat 10-107-06-1-C	8013-59-0	l/bm	0.62		0.20	CCURRY	03/09/16	11:23
Hardness, Total	SM 2340B-2011	471-34-1	mg eq CaCO3/I	40.6		6.62	BSTAPLES	03/04/16	13:04
Mercury, Dissolved	EPA:245.1	92786-62-4	√gn	<0.10		0.10	BSTAPLES	03/04/16	09:01
Chromium, Total	EPA.200.8, Rev. 5.4	7440-47-3	l/gn	<1.00		1.00	KWILLIAMS	03/08/16	14:41
Selenium, Total	EPA 200.8, Rev. 5.4	7782-49-2	l/ôn	<0.50		0.50	KWILLIAMS	03/10/16	11:50
Antimony, Dissolved	EPA.200.8, Rev: 5,4	7440-36-0	l/ôn	<1.00		1.00	KWILLIAMS	03/08/16	14:02
Arsenic, Dissolved	EPA 200.8, Rev. 5.4	7440-38-2	l/ôn	4.00		1.00	KWILLIAMS	03/08/16	14:02
Cadmium, Dissolved	EPA 200.8, Rev. 5.4	7440-43-9	l/gu	<0.05		0.05	KWILLIAMS	03/08/16	14:02
Copper, Dissolved	EPA 200.8, Rev. 5.4	7440-50-8	l/Bn	1.92		0.50	KWILLIAMS	03/08/16	14:02
Lead, Dissolved	EPA 200.8, Rev. 5.4	7439-92-1	l/gu	0.26		0.10	KWILLIAMS	03/08/16	14:02
Nickel, Dissolved	EPA 200.8, Rev. 5.4	7440-02-0	l/bn	1.27		0.50	KWILLIAMS	03/08/16	14:02
Silver, Dissolved	EPA 200.8, Rev. 5.4	7440-22-4	l/Bn	<0.20		0.20	KWILLIAMS	03/08/16	14:02
Thallium, Dissolved	EPA 200.8, Rev. 5.4	7440-28-0	/bn	<0.50		0.50	KWILLIAMS	03/10/16	11,23
Zinc, Dissolved	EPA 200.8, Rev. 5.4	7440-66-6	l/bn	12.4		1.00	KWILLIAMS	03/08/16	14:02
4,4'-DDD	EPA 608	72-54-8	l/bn	<0.05		0.05	MBOGGIO	03/09/16	18:55
4,4'-DDE	EPA 608	72-55-9	l/gn	<0.05		0.05	MBOGGIO	03/09/16	18:55
4,4'-DDT	EPA 608	50-29-3	l/Bn	<0.05		0.05	MBOGGIO	03/09/16	18:55
Aldrin	EPA 608	309-00-2	l/gu	<0.05		0.05	MBOGGIO	03/09/16	18:55
Notes									

LOQ is lowest concentration at which quantitation is demonstrated. *Analyte is not included in the HRSD CEL VELAP scope of accreditation

IA6 - There are no recoveries in the MS/MSD.

Print Date: 3/24/2016

Page 8 of 14



Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FNE-C-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Final Effluent

Sample ID: 510740

Sample Sub-Type: SAMP

произствення в предоставления предоставления предоставления в предоставлен	арай (аудаадаа каласын каласын каласын каласын калысын калысын калысын калысын калысын калысын калысын калысын		distribution de la company	NATOORICEUS COORDINATION OF THE COORDINATION O	Action and the second to breat the second	and committee of the second se	ATTOCKA NEW CONTROL OF THE PROPERTY OF THE PRO	Southern American	Anchoric
Analyte	Method	CAS#		Result	Flag	007	Analyst	Date	Time
Alpha-BHC	EPA 608	319-84-6	l/gn	<0.05		0.05	MBOGGIO	03/09/16	18:55
Beta-BHC	EPA 608	319-85-7	l/gn	<0.05		0.05	MBOGGIO	03/09/16	18:55
Chlordane	EPA 608	57-74-9	l/bn	<0.20		0.20	MBOGGIO	03/09/16	18:55
Dieldrin	EPA 608	60-57-1	ng/l	<0.05		0.05	MBOGGIO	03/09/16	18:55
Endosulfan I	EPA 608	959-98-8	ng/l	<0.05		0.05	MBOGGIO	03/09/16	18:55
Endosulfan II	EPA 608	33213-65-9	l/bn	<0.05		0.05	MBOGGIO	03/09/16	18:55
Endosulfan Sulfate	EPA 608	1031-07-8	l/bn	<0.05		0.05	MBOGGIO	03/09/16	18:55
Endrin	EPA 608	72-20-8	l/ôn	<0.05		0.05	MBOGGIO	03/09/16	18:55
Endrin Aldehyde	EPA 608	7421-93-4	l/gn	<0.05		0.05	MBOGGIO	03/09/16	18:55
Gamma-BHC	EPA 608	58-89-9	l/gu	<0.05		0.05	MBOGGIO	03/09/16	18:55
Heptachlor	EPA 608	76-44-8	l/ßn	<0.05		0.05	MBOGGIO	03/09/16	18:55
Heptachlor Epoxide	EPA 608	1024-57-3	l/gu	<0.05		0.05	MBOGGIO	03/09/16	18:55
Total Arochlors	EPA 608	1336-36-3	l/Bn	<7.00		7.00	MBOGGIO	03/09/16	18:55
Toxaphene	EPA 608	8001-35-2	l/gu	<0.50		0.50	MBOGGIO	03/09/16	18:55
Chlorphyriphos	EPA 622	02921-88-2	l/gu	<0.100		0:100	MBOGGIO	03/09/16	14:37
Demeton, Total	EPA 622	08065-48-3	l/Bn	<0.100		0.100	DLO	03/03/16	00:60
Demeton-O	EPA 622	08065-48-3A	l/gu	<0.030		0.030	MBOGGIO	03/09/16	14:37
Demeton-S	EPA 622	08065-48-3B	l/gn	<0.070		0.070	MBOGGIO	03/09/16	14:37
Notes									

LOQ is lowest concentration at which quantitation is demonstrated. *Analyte is not included in the HRSD CEL IVELAP scape of accreditation

IA6 - There are no recoveries in the MS/MSD.

3/24/2016 Print Date:

Page 9 of 14



CENTRAL ENVIRONMENTAL ANALYTICAL REPORT VA Laboratory ID 460011 LABORATORY



Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FNE-C-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Final Effluent

Sample ID: 510740

Sample Sub-Type: SAMP

YOUGHIDATION OF THE PROPERTY O	ice relativativa trava intervenos servos protestantes despetantes de misson estado de personales de servos de s	North before the conference of	electroscopicos de la composition della composit	on parameter mental entra de la companya de la comp				Analysis Analysis	Analysis
Analyte	Method	CAS#	Cni	Result	Flag	LOO	Analyst	Date	Time
Diazinon	EPA 622	00333-41-5	l/gn	<0.100		0.100	MBOGGIO	03/09/16	14:37
Guthion	EPA 622	00086-50-0	l/gu	<0.100		0,100	MBOGGIO	03/09/16	14:37
1,2,4-Trichlorobenzene	EPA 625	120-82-1	l/gu	<10.0		10.0	SLOPEZ	03/08/16	21:11
1,2-Diphenylhydrazine	EPA 625	122-66-7	l/gu	<10.0		10.0	SLOPEZ	03/08/16	21:11
1,2-Diphenylhydrazine is converted to Azobenzene in the extraction	in the extraction process.								
2,4,6-Trichlorophenol	EPA 625	88-06-2	/bn	<10.0		10.0	SLOPEZ	03/08/16	21:11
2,4-DNT	EPA 625	121-14-2	/bn	<10.0		10.0	SLOPEZ	03/08/16	21:11
2,4-Dichlorophenol	EPA 625	120-83-2	l/bn	<10,0		10.0	SLOPEZ	03/08/16	21:11
2,4-Dimethylphenol	EPA 625	105-67-9	ng/l	<10,0		10.0	SLOPEZ	03/08/16	21:11
2,4-Dinitrophenol	EPA 625	51-28-5	l/gu	<10.0		10.0	SLOPEZ	03/08/16	21:11
2-Chloronaphthalene	EPA 625	91-58-7	l/gu	<10.0		10.0	SLOPEZ	03/08/16	21:11
4,6-Dinitro-o-Cresol	EPA 625	534-52-1	l/gu	<10.0		10.0	SLOPEZ	03/08/16	21:11
Acenaphthene	EPA 625	83-32-9	l/bn	<10.0		10.0	SLOPEZ	03/08/16	21:11
Anthracene	EPA 625	120-12-7	l/gu	<10.0		10.0	SLOPEZ	03/08/16	21:11
Benzo(a) anthracene	EPA 625	56-55-3	/bn	<10.0		10.0	SLOPEZ	03/08/16	21:11
Benzo(a) pyrene	EPA 625	50-32-8	l/gu	<10.0		10.0	SLOPEZ	03/08/16	21:11
Benzo(b) fluoranthene	EPA 625	205-99-2	l/gn	<10.0		10.0	SLOPEZ	03/08/16	21:11
Benzo(k) fluoranthene	EPA 625	207-08-9	l/bn	<10.0		10.0	SLOPEZ	03/08/16	21:11
Notes									

LOQ is lowest concentration at which quantitation is demonstrated. "Analyte is not included in the HRSD CEL VELAP scape of accreditation

IA6 - There are no recoveries in the MS/IMSD.

Print Date: 3/24/2016

Page 10 of 14



CENTRAL ENVIRONMENTAL ANALYTICAL REPORT VA Laboratory ID 460011 ABORATORY



Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FNE-C-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Final Effluent

Sample ID: 510740

Sample Sub-Type: SAMP

Analysis Analysis 21:11 21:11 21:11 21:11 21:11 21:11 21:11 21:11 21:11 21:11 21:11 21:11 21:11 21:11 21:11 21:11 21:11 03/08/16 33/08/16 33/08/16 33/08/16 03/08/16 33/08/16 33/08/16 33/08/16 03/08/16 03/08/16 33/08/16 33/08/16 33/08/16 03/08/16 03/08/16 03/08/16 03/08/16 03/08/16 Date SLOPEZ Analyst SLOPEZ SLOPEZ SLOPEZ SLOPEZ SLOPEZ SLOPEZ SLOPEZ SLOPEZ 001 10.0 10.01 10.0 10.0 10.0 0.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10:0 10.0 Flag Result <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 <10.0 Unit l/gu V₀r /br /gn /gu ng/l /gu l/gn /gn /bn V_Dr Jg/ /Br VB. /gn l/gn /gn 131-11-3 193-39-5 206-44-0 84-74-2 84-66-2 86-73-7 118-74-1 87-68-3 98-95-3 111-44-4 218-01-9 117-81-7 53-70-3 77-47-4 67-72-1 78-59-1 85-68-7 CAS# EPA 625 **EPA 625 EPA 625 EPA 625** Method EPA 625 **EPA 625 EPA 625 EPA 625 EPA 625 EPA 625 EPA 625** EPA 625 EPA 625 **EPA 625 EPA 625 EPA 625** Hexachlorocyclopentadiene Bis(2-chloroisopropyl) ether Di(2-ethylhexyl)phthalate Dibenzo (ah) anthracene Indeno (1,2,3-cd) pyrene Bis(2-chloroethyl) ether Hexachlorobutadiene Butylbenzylphthalate Hexachlorobenzene Di-n-butyl phthalate Dimethyl phthalate Hexachloroethane Diethyl phthalate Fluoranthene Nitrobenzene Isophorone Chrysene Fluorene Notes Analyte

LOQ is lowest concentration at which quantitation is demonstrated. *Analyte is not included in the HRSD CEL VELAP scape of accreditation

IA6 - There are no recoveries in the MS/MSD.

Print Date:

3/24/2016

Page 11 of 14





Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FNE-C-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Final Effluent

Sample ID: 510740

Sample Sub-Type: SAMP

Analyte	Method	CAS#	attivited and included and incl	Ţ	Result	T D	00 100	Analyst	Analysis Analysis Date Time	\nalysis Time
Pentachlorophenol	EPA 625	87-86-5		ug/l	<10.0		10.0	SLOPEZ	03/08/16	21:11
Phenol	EPA 625	108-95-2		/Bn	<10.0		10.0	SLOPEZ	03/08/16	21:11
Pyrene	EPA 625	129-00-0		ng/l	<10.0		10.0	SLOPEZ	03/08/16	21:11
n-Nitrosodi-n-Propylamine	EPA 625	621-64-7		/bn	<10.0		10.0	SLOPEZ	03/08/16	21:11
n-Nitrosodimethylamine	EPA 625	62-75-9		ng/I	<10.0		10.0	SLOPEZ	03/08/16	21:11
n-Nitrosodiphenylamine	EPA 625	86-30-6		l/gn	<10.0		10.0	SLOPEZ	03/08/16	21:11
n-Nitrosodiphenylamine is converted to Diphenylamine in the injection	nine in the injection port.									
o-Chlorophenol	EPA 625	95-57-8		ng/l	<10.0		10.0	SLOPEZ	03/08/16	21:11
Kepone	EPA 8081B	143-50-0		ng/l	<0.40		0.40	MBOGGIO	03/09/16	13:15
Methoxychlor	EPA 8081B	72-43-5		l/gn	<0.050		0:020	MBOGGIO	03/09/16	18:55
Mirex	EPA 8081B	2385-85-5		/gn	<0.05		0.05	MBOGGIO	03/09/16	18:55
Sulfide	ASTM D4658-09	18496-25-8		mg/l	<0.10		0:10	JCOOK	03/03/16	10:60
Chloride	EPA 300.0 REV 2.1	16887-00-6		mg/l	42.5		4.00	ANROBERTS	03/03/16	18:15

Notes

LOQ is towest concentration at which quantitation is demonstrated. "Analyte is not included in the HRSD CEL VELAP scape of accreditation

3/24/2016

Print Date: 3/24/2/





Report Serial No.: 2016-659

Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FNE-G-030116-1

Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Final Effluent

Sample ID: 510739

Sample Sub-Type: SAMP

WHAT ARE PRODUCTED TO THE PRODUCTED TO THE PRODUCTED TO THE PRODUCT OF THE PRODUC	organistische Statische Verschaften der Verschaften von der Verschaften von der Verschaften von Verschaften von	S KARANNY FERRITANIN'NY TANÀNA MANDAMBANTAN'NY TANÀNA NY NY TANÀNA NY NY TANÀNA NY NY TANÀNA NY						Analysis Analysis	Analysis
Analyte	Method	CAS#	5	Result	Flag	LOQ	Analyst	Date	Time
1,1,2,2-Tetrachloroethane	EPA 624	79-34-5	l/gn	<10.0		10.0	DLO	03/02/16	18:26
1,1,2-Trichloroethane	EPA 624	79-00-5	l/gn	<10.0		10.0	DLO	03/02/16	18:26
1,1-Dichloroethylene	EPA 624	75-35-4	l/gu	<10.0		10.0	DLO	03/02/16	18:26
1,2-Dichlorobenzene	EPA 624	95-50-1	∥gn	<10.0		10.0	DLO	03/02/16	18:26
1,2-Dichloroethane	EPA 624	107-06-2	//gn	<10.0		10.0	DLO	03/02/16	18:26
1,2-Dichloropropane	EPA 624	78-87-5	l/Bn	<10.0		10.0	DLO	03/02/16	18:26
1,3-Dichlorobenzene	EPA 624	541-73-1	l/gu	<10.0		10.0	DLO	03/02/16	18:26
1,3-Dichloropropene (cis+trans)	EPA 624	10061-01-5/10061- 02-	l/ĝn	<20.0		20.0	DLO	03/02/16	18:26
1,4-Dichlorobenzene	EPA 624	106-46-7	l/gu	<10.0		10.0	DLO	03/02/16	18:26
Acrolein	EPA 624	107-02-8	l/ĝn	<50.0		50.0	DLO	03/03/16	16:35
Acrylonitrile	EPA 624	107-13-1	l/Bn	<10.0		10.0	DLO	03/02/16	18:26
Benzene	EPA 624	71-43-2	l/gu	<10.0		10.0	DLO	03/02/16	18:26
Bromodichloromethane	EPA 624	75-27-4	l/gu	<10.0		10.0	DLO	03/02/16	18:26
Bromoform	EPA 624	75-25-2	l/gu	<10.0		10.0	DLO	03/02/16	18:26
Bromomethane	EPA 624	74-83-9	l/gu	<10.0		10.0	DTO	03/02/16	18:26
Carbon Tetrachloride	EPA 624	56-23-5	l/gu	<10.0		10.0	DLO	03/02/16	18:26
Chlorobenzene	EPA 624	108-90-7	l/gu	<10.0		10.0	DLO	03/02/16	18:26
Chlorodibromomethane	EPA 624	124-48-1	ng/l	<10.0		10.0	DLO	03/02/16	18:26
Chloroform	EPA 624	67-66-3	l/6n	<10.0		10.0	OTO	03/02/16	18:26
Notes									

LOQ is lowest concentration at which quantitation is demonstrated. "Analyte is not included in the HRSD CEL VELAP scope of accreditation

Print Date:

3/24/2016

Page 13 of 14





Job ID: HRSD_PA-021816-284

Sample ID: SR_T_FNE-G-030116-1 Sample Date: 3/1/2016

Customer Sample ID: Town of Surry Final Effluent

Sample ID: 510739

Sample Sub-Type: SAMP

Report Serial No.: 2016-659

								Analysis Analysis	Analysis
Analyte	Method	CAS#	Ė	Result	Flag	007	Analyst	Date	Time
Ethylberzene	EPA 624	100-41-4	l/gu	<10,0		10.0	DLO	03/02/16	18:26
Methylene Chloride	EPA 624	75-09-2	∥⁄Bn	<10.0		10.0	DTO	03/02/16	18:26
Tetrachloroethene	EPA 624	127-18-4	l/gu	<10.0		10.0	DLO	03/02/16	18:26
Toluene	EPA 624	108-88-3	l/gu	<10.0		10.0	DLO	03/02/16	18:26
Trichloroethylene	EPA 624	79-01-6	l∕gu	<10.0		10.0	DTO	03/02/16	18:26
Vinyl Chloride	EPA 624	75-01-4	/bn	<10.0		10.0	DLO	03/02/16	18:26
trans-1,2-Dichloroethene	EPA 624	156-60-5	l/gu	<10.0		10.0	DLO	03/02/16	18:26
Total Cyanide <u>Notes</u>	Lachat 10-204-00-1X	74-90-8	l/bn	010		10	ANROBERTS	03/07/16	12:40
LOQ is lowest concentration at which quantitation is demonstrated. *Analyte is not included in the HRSD CEL VELAP scope of accreditation	s demonstrated. cope of accreditation								

Date Authorized: 3/24/2016

Authorized By: Li Zhang - Lab Manager





Report Serial No.: 2016-628

Job ID: HRSD_PA-031716-390

Sample ID: SR_T_FB-C-031716-1 Sample Date: 3/17/2016

Customer Sample ID: Town of Surry Field Blank

Sample ID: 528187

Sample Sub-Type: FB

								٠ ا	Analysis
Analyte	Wethod	#SYS#	7	Result	Flag	LOQ	Analyst	Date	Time
3,3-Dichloroberizidine	EPA 625	91-94-1	∥gn	<10.0		10.0	SLOPEZ	03/20/16	20:22
Benzidine	EPA 625	92-87-5	l/gn	<10.0		10.0	SLOPEZ	03/20/16	20:22
Notes									

LOQ is lowest concentration at which quantitation is demonstrated. *Analyte is not included in the HRSD CEL VELAP scope of accreditation

Page 1 of 2



Job ID: HRSD_PA-031716-390

Sample ID: SR_T_FNE-C-031716-1

Sample Date: 3/17/2016

Customer Sample ID: Town of Surry Final Effluent

Sample ID: 528188

Sample Sub-Type: SAMP

Report Serial No.: 2016-628

								Analysis	Analysis
Analyte	Method	CAS#	-	Result	Flag	LOQ	Analyst	Date	Time
3,3-Dichlorobenzidine	EPA 625	91-94-1	√gn	<10.0		10.0	SLOPEZ	03/20/16	23:26
Benzidine	EPA 625	92-87-5	ug/l	<10.0		10.0	SLOPEZ	03/20/16	23:26
Notes									
LOQ is lowest concentration at which quantitation is demonstrated. *Analyte is not included in the HRSD CEL VELAP scape of accreditation;	emonstrated. Se of accreditation								

Date Authorized: 3/22/2016

Authorized By: Li Zhang - Lab Manager

Print Date: 3/22/2016

Page 2 of 2





Report Serial No.: 2016-720

Job ID: HRSD_PA-032816-416

Sample ID: SR_T_FB-C-032816-1 Sample Date: 3/28/2016

Customer Sample ID: Town of Surry Field Blank

Sample ID: 533641

Sample Sub-Type: FB

	e de la composita del la composita de la composita de la composita del la composita del la composita del la composita del la c	CONTRACTOR OF THE PROPERTY OF						Analysis /	Inalysis
Analyte	Method	CAS#		Result	Flag	001	Analyst	Date	Time
Nonylphenol	ASTM D7065-06	84852-15-3	l/gu	<10.0		10.0	IGERASIMOV	03/29/16	12:05
Notes									
LOQ is lowest concentration at which quantitation is demonstrated. "Analyte is not included in the HRSD CEL VELAP scope of accreditation	is demonstrated. scope of accreditation								

Page 1 of 2





Report Serial No.: 2016-720

Job ID: HRSD_PA-032816-416

Sample ID: SR_T_FNE-C-032816-1 Sample Date: 3/28/2016

Customer Sample ID: Town of Surry Final Effluent

Sample ID: 533642

Sample Sub-Type: SAMP

GLIDAZIDENZENTRIORIONVOCH IIPRIORI HIRITROPOMEZANDEN KONTENDENTITEROS MATERIALES ENTRA INTERNATIONIONIONIONIONIONIONIONIONIONIONIONIONI	alstanders altockalatyrades stocker describe of the describe of the second of the seco	PROFINE SHALL WAS ARREST AND						Analysis /	Analysis
Analyte	Method	CAS#	Ē	Result	Flag	Flag LOQ	Analyst	Date Time	Time
Nonyiphenol	ASTM D7065-06	84852-15-3	l/gn	<10.0		10.0	ଅ	03/29/16	13:20
Notes									
LOQ is lowest concentration at which quantitation is demonstrated. "Analyte is not included in the HRSD CEL VIELAP scope of accryeditation	n is demonstrated. P scope of accjeditation								
Authorized By: Li Zhang - Lab Manager			Date Author	Date Authorized: 3/30/2016					

Page 2 of 2

REPORT OF ANALYSIS

Hampton Roads Sanitation District CLIENT:

SAMPLE COLLECTED BY:

ATTN:

Kathy Hobson

ADDRESS: P.O. Box 5911

GRAB COLLECTION:

Date: 2/1/2016

Time: 1210

PHONE:

Virginia Beach, VA 23471-0911

COMPOSITE COLLECTION:

(757) 460-4203

Start Date:

Time:

FAX:

khobson@hrsd.com

End Date:

Time:

Special Notes:

PICK UP BY: CLIENT SAMPLE RECEIPT:

Supplement to Report No.: 16-03420 15:00 (Revised Deleted Compounds)

Date: 3/2/2016

Time: 1730

NUMBER OF CONTAINERS: 1

SAMPLE CONDITION: ✓ Good ☐ Other (See C-O-C)

REPORT NO: 16-03420 15:25

SAMPLE ID: SAMPLE NO: SR TFB

16-03420

Parameter	Method Number	JRA QL	Result	Unit.	Analys		Time
Parathion	614	1	<1.	ug/L	JFS	03/09/16	0327
Malathion	614	ĺ	< 1	ug/L	IF S	03/09/16	0327

NOTES:

JRA Quantification Level is the concentration of the lowest calibration standard above zero with a reliable signal.

Reproduction of this report is not permitted, except in full, without written approval from James R Reed & Associates.

The results on this report relate only to the sample(s) provided for analysis.

Results conform to NELAC standards, where applicable, unless otherwise indicated,

K - Insufficient volume to perform required QC (sample matrix spike).

Authorized By: Plaine Clarlow

Elaine Claiborne, Laboratory Director

18-Mar-16 Date:

REPORT OF ANALYSIS

CLIENT: Hampton Roads Sanitation District

ATTN:

Kathy Hobson

ADDRESS: P.O. Box 5911

Virginia Beach, VA 23471-0911

PHONE:

(757) 460-4203

FAX:

khobson@hrsd.com

Special Notes: Supplement to Report No.:16-03421 15:00

(Revised Deleted Compounds)

SAMPLE COLLECTED BY: CLIENT

GRAB COLLECTION:

Date: 2/1/2016

Time: 1210

COMPOSITE COLLECTION:

Start Date:

Time:

End Date:

Time:

PICK UP BY: CLIENT

SAMPLE RECEIPT:

Date: 3/2/2016

Time: 1730

NUMBER OF CONTAINERS: 2

SAMPLE CONDITION: Good ☐ Other (See C-O-C)

REPORT NO: 16-03421 15:25

SAMPLE ID: SAMPLE NO: SR TFNE 16-03421

Parameter	Method Number	JRA QL	Result	Unit	Analyst Da	ate	Time
Parathion	614	1	< 1	ug/L	JFS 03	/09/16	0407
Malathion	614	1	< 1	ug/L		/09/16	0407

NOTES:

JRA Quantification Level is the concentration of the lowest calibration standard above zero with a reliable signal.

Reproduction of this report is not permitted, except in full, without written approval from James R Reed & Associates.

The results on this report relate only to the sample(s) provided for analysis.

Results conform to NELAC standards, where applicable, unless otherwise indicated.

K - Insufficient volume to perform required QC (sample matrix spike).

Authorized By:

Elaine Claiborne, Laboratory Director

Date: 18-Mar-16



CHAIN OF CUSTODY

ANALYSES REQUESTED

Company Name: HRSD	USan							Bottle I.D						T
Company Contact: Li Zhang	Li Zhand	Tele	phone	757,460,4203	33	3		I I COCI A.		1				T
Results To:	Results To: Kathy Hobson	and the state of t	Fax: 757.	757.460.6586	36	¥		, mayaga sa		i ferminelia de la constitución de				
Address:	Address: PO Box 5911				***************************************	ł					abertapo a	oonsersood		
	Virginia Beach, VA 23471-0911	3471-0911			***************************************	1						leane veltrië		verse, N. St.
Project ID:					AAAAA SAAAA SAAAAA AAAAAA AAAAAAAAAAAA			, , , , , , , , , , , , , , , , , , ,		- TOP TO A STATE OF THE STATE O		unce ar specification		*************
			Composite	ite	ST THE CHARLEST CONTRACTOR OF THE CONTRACTOR OF	Grab		-	Þ	***************************************			~~~~	*3************
JRA Sample	Sample Location	Start	Start	End	End	Date	Time	Total #	19 Vd:		Carlo de caracter			larrament en heldelp en
t / 1	SR_T FB	1/2016		12:10	2	A CARLO AND		- COLU.						T
16750	SR T FNE	3/1/2016		12:10	C			2	2					П
					-									
diese de la constante de la co	носинический применений выблась в вереня в применений в п				-									\neg
No. Carl Land Windows Strike With Water Strike Company Company Company Company Company Company Company Company													1	T
THE THE RESERVE AND A SECRET AND A SECRET ASSESSMENT AS A SECRET ASSESSMENT AS A SECRET AS	ANTENNA							1					-	T
	TRANSPORTATION OF THE STANDARD		-		***************************************									Т
ASSERVATION DECEMBER DE LA CARROL DEL CARROL DE LA CARROL DEL LA CARROL DE LA CARRO		The second secon	-	***************************************				-					_	Т
								***************************************					_	T
			***************************************			-					-	-	_	
*W/W= Wastewater, GV	*WW= Wastewater, GW = Groundwater, DW - Drinking Water, HW - Hazardous Waste, OTHERS	king Water, HW - H	azardous	Waste, OTHE	RS	THE COMMENSATION OF THE PERSON						***************************************		
i di				E/ 2700					Preservatives:			3		
Sallipled by.	The same of the sa			Date/ Hine.	, ,			1	= 20 C t = Na ₂ S ₂ O ₃ + HC		10≈Ascorbic Acid + HCI	Ξ +		
Kelinquished by:	S QIND	MALES AND CO. ALCOHOLOGICAL CO. C.	ALL A THE STATE OF	Date/Ilme:	01/6/5	7	~	ı	2 = HNO ₃ 7 = NaOH + ZnOAc		11=HC			
Received By:	Klair Clais	يهاكالير	**************************************	Date/Time:	3/2/10	16 e 1730	S	1	3 = H2SO, 8 = H2SO, + FAS		12=Zinc Acetate + NaOH	+ NaOH		
Relinquished By:				Date/Time:				ı	4 = NaOH 9 = NH4CI	•	13=Na2SO3 + HCI	π		
Received By:	- Annie Marie de Annie			Date/Time:					5 = Na ₂ S ₂ O ₃		14=Na ₂ SO ₃ + H ₂ SO ₄	SO,		
Relinquished By:				Date/Time:				1						
Received By:	THE TAXABLE PROPERTY OF TAXABLE PROPERTY O			Date/Time:		The same of the sa								
					-	į	ſ							
Not for Compliance				VOA Chlorinated: Yes	Check: PO	ב ע ע ע	By:		CN Interference Check: Sulfide:	Positive	re Negative			
									Oxidizing Agent:					

JAMES R. REED and ASSOCIATES (757) 873-4703; FAX (757) 873-1498 Arrival Temp: 770 Pilot House Drive, Newport News, VA 23606 Please include a temperature blank container along with samples to be submitted.

ပွ



Universal Laboratories

20 Research Drive, Hampton, VA 23666 TELEPHONE: (757)865-0880 TOLL FREE: (800)695-2162 FAX: (757)865-8014

REPORT OF ANALYSIS

HRSD Central Environmental Laboratory

Order ID:

1603030

Receive Date:

03/02/2016

Print Date:

3/10/2016

Ms. Kathy Hobson 1432 Air Rail Ave

Virginia Beach, VA 23455

Quote Number:

PO Number:

COC Name:

TBT Analysis

Report Date:

March 10, 2016

This report contains the analytical results for the indicated Project and Order. The results contained in this report relate only to the samples identified in this Order. The analytical results meet all requirements of NELAC unless specifically stated. This report shall not be reproduced except in full.

The data in this report has been reviewed and validated by:

Stacie Splinter
Name

Quality Director

Title

SR T FB

1603030-001

Collection Date: 03/01/2016 12:10

<u>Lab IQ:</u> Permit:

Matrix: AQUEOUS

Analysis of Butyltins in Env. Samples	Result Unit	Analysis Date	<u>Analyst</u>	Qualifier	RL	Cert#
Sample Preservation pH	1 pH Units	3-8-2016 04:16:18 PM	BD			
Holding Time Met	yes Yes/No	3-8-2016 04:16:18 PM	80			
Sample Receipt Temperature	2 C	3-8-2016 04:16:18 PM	BD			
Tributyltin	ND ug/L	3-8-2016 04:16:18 PM	BD		0.03	460036
surrogate Tripentyltin (% Recovery)	114 %	3-8-2016 04;16:18 PM	BD		49 5- 150.5	

SR T FNE

Leb ID:

1603030-002

Permit:

Metrix: AQUEOUS

Collection Date: 03/01/2016 12:10

Analysis of Butyltins in Env. Samples	Result Unit	<u> Analysis Date</u>	Analyst	Qualifier	RL	<u>Cert#</u>
Sample Preservation pH	1 pH Units	3-8-2016 04:44:27 PM	BD			
Holding Time Met	yes Yes/No	3-8-2016 04:44:27 PM	BD			
Sample Receipt Temperature	2 C	3-8-2016 04:44:27 PM	BD			
Tributyitin	ND ug/L	3-8-2016 04:44:27 PM	BD		0.03	460036
surrogate Tripentyitin (% Recovery)	100 %	3-8-2016 04:44:27 PM	BD		49.5- 150,5	

Analytical Quality Control Results Report

TBT					B	atch: 030	716-001
LIMS ID	Pent	Parameter	Result	RL	Qual	Accuracy Control	Precision Control
030716-001-MB-01	Tributyitin - AQ MB	Tribulylin	0 ug/L	0.03			
		surrogate Tripentyllin (% Recovery)	114.6 %			49.5 - 150.5	
030716-001-LCS-01	Tributyltin - AQ LCS	surrogate Tripentyltin (% Recovery)	68 %			49.5 - 150.5	
		Tributyltin (% Recovery)	82 %			69.5 - 130.5	
1603030-002	Tributyitin - AQ DUP	surrogate Tripentyllin (% Recovery)	85 %			49.5 - 150.5	
		Tributyllin (RPD)	0 %				0 - 35.4
	Tributyltin - AQ M5	surrogate Tripentyllin (% Recovery)	90 %			49.5 - 150.5	
		Tributyltin (% Recovery)	107 %			69.5 - 130.5	

Glossary of Terms and Abbreviations

ND	No Analyte Detected
NR	No Results available, analyte not in instrument calibration
RL	(Reporting Limit) The minimum levels, concentrations, or quantities of a target analyte that can be reported within a specified degree of confidence. Generally, this number is equal to or just above the lowest calibration standard run with the analytical batch
В	Analyte was found in the method blank
D	RPD outside acceptable limits
H	Holding time exceeded
15	Internal standard outside acceptable limits
J	Result above calibration curve - results are approximate
L	LCS Outside acceptable limits
MI	Matrix interence
MS	Matrix spike recovery outside acceptable limits
QC	Method QC criteria not met
S	Surrogate outside acceptable limits
V	ICV/CCV/FCV outside acceptable limits
LCS	(Laboratory Control Sample) A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MOL.	Method Detection Limitis is an estimate of the minimum amount of a substance that an analytical process can reliably detect
RPD	(Relative Percent Difference) The difference between a set of duplicates or sample spike duplicates.
MS/MSD	(Matrix Spike or Matrix Spike Duplicate) A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analytes concentration is available. Matrix Spikes are used, for example, to determine the effect of the matrix on a method's recovery efficiency.
Calibration Verfication	(initial, Continuing, or Final) A standard analyzed at different times to verify that the initial calibration curve is still valid.
Holding Time	The maximum time that samples may be held prior to analysis and still be considered valid or not compromised.
Internal Standard	A known amount of standard added to a test portion of a sample as a reference for evaluating and controlling the precision and bias of the applied analytical method.
Method Blank	A sample of a matrix similar to the batch associated samples (when available) that is free from the analytes of interest and is processed simulatanously with and under the same conditions as samples.
Surrogate	A substance with properties that mimic the analyte of Interest. It is unlikely to be found in environmental samples and is added to them for quality control purposes in Organics.
EPL.	Exceeds Permit Limit. This is a qualifier to denote that the result exceeds the permit limit of the sample location.
Exceeds Benchmark Concentration	Result Exceeds Benchmark concentration listed in the General Permit. Benchmark Concentrations are primarily used to determine the overall effectiveness of the Stormwater pollution prevention plan. Excedence of Benchamrk concentrations does NOT constitute a violation of this permit and does NOT indicate that violation of a water quality standard has occurred.

HRSD CENTRAL ENVIRONMENTAL LABORATORY

1432 AIR RAIL AVENUE VIRGINIA BEACH, VA 23455 TEL: 757-460-4214

LSO/PO #: Visa-call for card number

FAX: 757-460-6586

Cleaning wastewater every day for a better Bay.

SAMPLE CHAIN OF CUSTODY

(FOR CONTRACT LAB)

CONTRACT LAB INFORMATION Lab Name: Universal	W NTORMA	S					Basisticates	zarzkiakiakiakiakiakiak	ANK	LYSES R	ANALYSES REQUESTED & NUMBER OF CONTAINERS	* NUMBER	OF CONTA	UNERS		
Address: 20 Research Dr. Hampton VA	esearch Dr. Hampton VA. 23666	છ					48-10-10-10-10-10-10-10-10-10-10-10-10-10-		and the second s						isid direction memorana	
TEL: (757)865-0880	-	Ž.					en monagament de managament de	TBT		in har recin dismontano dirici de		*************	itorogijaji supbojek javinis	alacaratines intervisi eluis attat		иму турур раздардарда жаза гособа
PROJECT NAME/CODE;		Surry (Town of)			The system of the state of the	Circle	<u> </u>								Contract Lab Use	65
SAMPLEID	PROJECT	SAMPLE	DATE	TIME	SAMPLED BY		SAMPLE							E 5	ONIV PRESVD (CONT.
	F. W.	m L	3/1/2016	12:10	BW	7	ပ	F								
	T AS	WE WE	3/1/2016	1210	BW	7	C	2	-			A CONTRACTOR OF THE PERSON OF	To Designation of the Contract			
	- Control Cont	COLUMN STATEMENT	**************************************	- Agenda thereases separate	va dimentary contraction of the second	reconstruction of the second	***************************************	-	ham de service de serv	Verbon and the substitute of t						
	AGESTATA SEA NOT VITA INCOMENDA AND AND AND AND AND AND AND AND AND	Company of the Compan								- COCONANTO COCO					any	
									The second secon	The Different Control			10040-400-400-400-400-400-400-400-400-40			
	Antibaliselesiasannus eksemaannus istoom	OPP 200 DE LA COLUMN DE LA COLU				Commission and Commission of C	-		-	1						
		ARADO PRINCIPAGAGAGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	enconsense encode establishes annother entre	ANALIS COLUMN ANALIS ANALIS COLUMN ANALIS CO	NO SECURIORISMOSTATION AND ADMINISTRATION AND ADMIN		The second secon	1		1		and an included the second	-	1		
AND THE PROPERTY OF THE PROPER		***************************************	***************************************						\dagger				***************************************	-		
							Allinitation	And de mandel Discopie de contraction								
		William Company of the Company of th						Temp	Temp. Requirement	lent	Western the state of the state	Ā	Preservatives	Ves	- September - Sept	
Relinquished by / Signature	nature	で変わ	クタク	ſ	Date/Time	3/1/6/6	68				and the state of t					
Received by / Signature) ann					3/2/16	1656		しん	I				ورجازيدار دووي وفادتها	زساوات كالخرجي مسجد	
Relinquished by / Signature	ក្រធាវិបាខ			Ø	Date/Time	9										
Received by / Signature	ure	***************************************	Sintistresen saistista de la Sintistra de la Constitución de la Consti		Date/Time	La Particia esta de meneral mentre de construir esta esta esta esta esta esta esta esta		alament in mining the property of	Vii balanna madata a salatika			Design of the second se	Percontention of the second second	and the second s	-12000000000000000000000000000000000000	
														PARTICIPATION	and and in the second second	
COMMENTS:																
Summer in the American America	sharps (manuscript or see a	enesselve espidente pod de exponent productions,		Neriolitisters transferst Schild Schi	**************************************	Societate de la constante de l	inentrologies explicators access	- A CHARLES AND	Mackinston						CONTRACTOR	

Semple Type: C=Composite, G=Grab Nature L= Liqued, S = Solid

CONTRACT LABORATORY INFORMATION

PRESERVATION HCL, pH<2 HCL, pH<2 HOLDING TIME 6 months 6 months PHONE: 757-865-0880 PHONE: 757-450-4201 Fax/email and hard copy (Fax/e-mail/etc. along with hard copy) METHOD CODE Unger, et al Inger, et al SAMPLE INFORMATION DATAREPORTING ANALYSIS REQUIRED Virginia Beach VA 23455 Virginia Beach VA 23455 NOTES þ þ 1432 Air Rail Ave khobson@hrsd.com 1432 Air Rall Ave 20 Research Dr, Hampton VA 23666 Kathy Hobson Kathy Hobson SAMPLEDATE Stacle Splinter 31112016 37172016 Universal Li Zhang 14 days FORMAT IN WHICH DATA SHOULD BE REPORTED: OSET OSET HRSD Please provide a Level III QC package with the report. WHOW DATA SHOULD BE REPORTED TO: Signed Hardcopy of Report Received REQUIRED TURN AROUND TIME CONTAINERS PROVIDED BY CONTRACT LAB ADDRESS CONTRACT LAB CONTACT Quantitation Limit = 30 ppt FOR HRSD USE ONLY SAMPLE SHIP DATE MAIL INVOICE TO: HRSD CONTACT CONTRACTIAB Invoice Receivied CREDIT CARD SAMPLEID SRIFNE

REPORT OF ANALYSIS

CLIENT:

Town of Surry

ATTN:

Robert Finch

ADDRESS: P.O. Box 340

Toano, VA 23168

PHONE:

869-3936

FAX:

rpfinch@verizon.net

Special Notes:

Weekly

SAMPLE COLLECTED BY: CLIENT

GRAB COLLECTION:

Date: 3/10/2016

Time: 1010

COMPOSITE COLLECTION:

Start Date:

Time:

End Date:

Time:

PICK UP BY: CLIENT

SAMPLE RECEIPT:

Date: 3/10/2016

Time: 1105

NUMBER OF CONTAINERS: 1

SAMPLE CONDITION; ✓ Good ☐ Other (See C-O-C)

REPORT NO: 16-04020 15:04

SAMPLE ID:

FINAL 001

SAMPLE NO: 16-04020

Parameter	Method Number	JRA QL	Result	Unit	Analyst Date	Time	
E. Coli-Colilert	Colilert	1	12	MPN/100mL	LAW 03/10/16	1620	

NOTES:

JRA Quantification Level is the concentration of the lowest calibration standard above zero with a reliable signal.

Reproduction of this report is not permitted, except in full, without written approval from James R Reed & Associates.

The results on this report relate only to the sample(s) provided for analysis.

Results conform to NELAC standards, where applicable, unless otherwise indicated.

Authorized By: Claude Claude

Elaine Claiborne, Laboratory Director

Date: 14-Mar-16

James R. Reed & Associates

770 Pilot House Drive, Newport News, VA 23606

(757) 873-4703 • Fax: (757) 873-1498

VELAP# 460013 EPA# VA00015





CHAIN OF CUSTOBY

		75/4604																			10=Ascorbic Acid + HCI		12≂Zinc Acetate + NaOH												
REQUESTI					77/7424-11C	**********	nampila (Si			***************************************					-	watheres						.c 11=HCI	12=Zinc A												
ANALYSES REQUESTED													WARRENCE OF				 	, , , , , , , , , , , , , , , , , , ,			1 = <6°C 6 = Na ₂ S ₂ O ₃ + HCI	2 = HNO ₃ 7 = NaOH + ZnOAc	$3 = H_2SO_4 8 = H_2SO_4 + FAS$ $4 = NaOH 9 = NH_1CI$)											
•			and the second s	eiseni veno	NO MATERIAL DE	*Resident **	no-photosylving	- A O A O A O A O A O A O A O A O A O A	***************************************				***********							Preservatives:	1=<6°C 6=	2 = HNO ₃ 7 =	$3 = H_2SO_4$ $8 = H_2SO_4$ $4 = NaOH$ $9 = NH_1CI$	$5 = Na_2 S_2 O_3$											
	Α,	7		mostania			(qe	:1 <u>6</u>)	iloO) .3	×																								
	Bottle I.D	Preserv.							Total #	of cont.	—		-consistence								<u>6</u>	ا ما	***												
								P >~	Time		o io									•	Date/Time: 5 - 10 - 10 - 1000	1105	2 1105												
		ı	.	I	1 1 1			Grab	Date,	£ 0	13-7-1C	- Vanderse	in book na						ဟ	,	0-10	2-16	9 91/5												
			757-869-3936						End	Time									te, OTHER	6	ve: V	Date/Time: 8-10-16	Date/Time: 3/10/16 @ 1105 Date/Time:	ne:											
			e: 757-869-393 757-566-8030					osite	End	Date									ardous Was		Date/Tin	Date/Tin	Date/Time:	Date/Time:											
		Statement of the Statem	Telephone: Fax: 7	1		فلامتناه مال الماركة أحمد ومساوح ومراد ومر		Compc	Compc	Compc	Сотрс	Composite	Сотрс	Compc	Сотрс	Сотр	Start	Time			NIATAGINO						HW - Haze	V.	X						
						AND THE PARTY OF T			- A THE RESIDENCE OF THE PARTY			Start	Date				~ 10.111.					king Water,	X	N/N/N/N/N/N/N/N/N/N/N/N/N/N/N/N/N/N/N/		Car									
	Tours of O	I own of Surry	ny Contact: Robert Finch Results To: Robert Finch	Address: PO Box 340	Toano, VA 23168	Project ID: Weekly			Sample Location	The state of the s	一つのしから出								WW= Wastewater, GW = Groundwater, DW - Drinking Water, HW - Hazardous Waste, OTHERS		Meshy	Markel	Just of												
		Company Name: Town of Surry	Company Contact: Robert Finch Results To: Robert Finch	Address:		Project ID:			RA Sample	D#1(Type*	33 02050						The state of the s		WW= Wastewater, GM	ų.	ampled By:	Relinquished By:	Received By: Relinquished By:	Received By:	for Compliance	Not for Compliance									

JAMES R. REED and ASSOCIATES (757) 873-4703; FAX (757) 873-1498 770 Pilot House Drive, Newport News, VA 23606

ပွ

Arrival Temp: